# **PUSHING LIMITS** ADRENALINE CHALLENGES FAMILY MUD PERFORMANCE WE'RE FARMING BUILT HUNTING FOR ADVENTURE THSHARDWORK





# CAN-AM ACCESSORIES: THE PERFECT FIT

#### ENHANCE & EXTEND YOUR OFF-ROAD EXPERIENCE WITH ACCESSORIES BUILT BY CAN-AM FOR CAN-AM.

Wherever you're going, and whatever you're doing, Can-Am Off-Road accessories can help get you there and get it done – faster and more efficiently. High-quality, innovative accessories that work right, fit right and feel right because they're developed or approved by Can-Am for Can-Am.

#### QUALITY FIRST.

The best off-road accessories are here for a reason: you. High-performance engineering and hard-fought lessons drive the design of everything we do —from our vehicles to the oil they run on.

#### RUGGED RELIABILITY.

Why do we guarantee Genuine Can-Am accessories for an entire year? Because we can. Install them yourself or at an authorized dealer and immediately upgrade your off-road vehicle without worry.

### STYLE & VISION.

Our designers work on both vehicles and accessories, meaning our accessories lineup performs perfectly and looks as great as the Can-Ams they've been designed for.

# **BRP LIMITED WARRANTY**\*

FOR NEW PARTS, ACCESSORIES AND RIDING GEAR.

#### **2 YEARS LIMITED WARRANTY\*\***

- GENUINE CAN-AM PARTS & ACCESSORIES INSTALLED BY YOU OR YOUR AUTHORIZED BRP DEALER
- CO-BRANDED PRODUCTS SOLD THROUGH BRP<sup>1</sup>
- RIDING GEAR

#### **4 YEARS LIMITED WARRANTY\*\***

- HELMETS

<sup>1</sup>Use other than which the product is designed for will void the product lifetime warranty. <sup>1</sup>Applies only to BRP-made products or co-branded products made by accredited BRP partners (Lonestar Racing for Can-Am, DragonFire for Can-Am, S3 for Can-Am, Beard Seats for Can-Am, Baja Designs for Can-Am, etc.). Purchased at an authorized BRP dealership / distributor or on a BRP-authorized online store. Other exclusions may apply, see complete limited warranty or contact your Can-Am off-road authorized dealer. <sup>1</sup>Includes only BRP-approved attermarket products made by currently accredited BRP partners estipulated or required by Jaw. This limited warranty does not apply to factory installed accessories. This limited warranty does not apply on Evinrude parts and accessories. This limited warranty is effective as of March 1<sup>st</sup>, 2016.

© 2018 Bombardier Recreational Products Inc. (BRP). All rights reserved. @, ™ and the BRP logo are trademarks of BRP or its affiliates. CARLISLE is a trademark of Carlisle Companies. CHAMUDE and HIPORA are registered trademarks of Kolon Industries, Inc. CLARINO is a trademark of Kuraray Co. Ltd. COOLMAX and THERMOLITE are registered trademarks of INVISTA for durable fabrics. DRIRELEASE is a registered trademarks of Kolon Industries, Inc. FOX is a registered trademark of Scanda. GARMIN and MONTANA are registered trademarks of Garmin Ltd. Prod is a registered trademark of Apple Inc. KOLIN, GUIN BODI and IMPACT are registered trademarks of Kolon Powersports Inc. KYR is a registered trademark of So Card Association. Mud Lite XTR and SS312 are trademarks of Alpin Powersports Inc. KYR is a registered trademark of NGK Spark Plugs. Ltd. PRIMALOFT GOLD and PRIMALOFT BLACK are registered trademarks of Albany International Corp. SUPERVINCH and S SUPERVINCH (design) are registered trademark of NGK Spark Plugs. Ltd. PRIMALOFT GOLD and PRIMALOFT BLACK are registered trademarks of Albany International Corp. SUPERVINCH and S SUPERVINCH (design) are registered trademarks of NGK Spark Plugs. Ltd. PRIMALOFT GOLD and PRIMALOFT BLACK are registered trademarks of Albany International Corp. SUPERVINCH and S SUPERVINCH (design) are registered trademarks of Supervinch LLC. (EFLON, TEFLON HT and KEVLAR are trademarks of EL. DUPIN de Nemours is a trademark of TUNES is a trademark of UNI is a trademark of UNI is a trademark of Super Vinus is a trademark of Warn Industries. NRX S Co. TWINAR is a trademark of TUNES NEW. SUPERVINCH and S SUPERVINCH (design) are registered trademarks of Super Vinus is a trademark of Maxin Industries. NRX NS So 2005 (NEX, SUS) (

<sup>1</sup> Warranty periods may vary per region



#### ACCESSORIES

6	COMPATIBILITY GUIDE	43	MULTITRAILER
10	CARGO & STORAGE	43	HITCHES
16	WINDSHIELDS	44	PERFORMANCE
19	HANDLEBARS & MIRRORS	48	COVERS, DECALS
20	SEAT KITS	1	& ADD-ONS
21	RACKS & HOLDERS	49	TRACK SYSTEMS
24	SKID PLATES	51	SNOWBLOWER
31	<b>BUMPERS &amp; GUARDS</b>	53	PLOWS
36	LIGHTS & ELECTRICAL	58	OUTLANDER 6X6
40	WINCHES	-	ACCESSORIES
			and the other land

#### **TIRES & RIMS**

62 TIRES

64 RIMS

#### **SPORTSWEAR & RIDING GEAR**

66	CAN-AM SPORTSWEAR	74	HELMETS
69	JERSEYS	A 75	DUST MASKS
70	MUD GEAR	75	COMMUNICATION SYSTEM
70	JACKETS & PANTS	76	GOGGLES
73	BOOTS	77	GLOVES
73	BALACLAVAS	78	JUNIOR
73	NECK AND BODY	78	BAGS
	CORE PROTECTION	79	SIZING CHART

## **PARTS & MAINTENANCE**

80	GENUINE CAN-AM PARTS
86	<b>OILS &amp; MAINTENANCE</b>

#### **GOING GLOBAL**

This catalog, global in nature, shares BRP's full parts, accessories and clothing product offering. Some products may not be available in your country, due to different climates, local certifications and/or legal requirements. Contact your BRP dealer for local specifics.

## CAN-AMOFFROAD.COM



 $\triangleright$ 

Explore our interactive online catalog. Instantly explore products, videos, large format images and share with friends!

Check out our videos to learn more about our new innovative riding gear and accessories.

Learn about and purchase XPS oils and lubricants.

## Visit instructions.brp.com for BRP accessories instruction sheets.

You will find complete installation instructions, part number lists and service kits for repair and maintenance.

# WE'RE BUILT FOR HARD WORK

and house - 28

JOBS AND JOURNEYS ARE EASIER WHEN SOMEONE'S GOT YOUR BACK: WE ENGINEER UTILITY UPGRADES TO WORK SEAMLESSLY AND TIRELESSLY WITH YOUR OUTLANDER.



- 15 Ling LOW PROFILE BASKET
- **XT FRONT & REAR BUMPERS** 33
- EXTREME FRONT BUMPER 34
- CAN-AM TERRA 35 WINCH 41 **BY SUPERWINCH**

# WE'RE BUILT FOR THE TRAIL AHEAD

THE ULTIMATE TRAIL ACCESSORIES DEVELOPED AND TESTED TO LEAD YOU FARTHER WITH PROVEN RELIABILITY AND USEFUL COMFORT FOR LONG RIDES.

**OUTLANDER MAX** 





- 13 LinQ 32 GAL (124L) TRUNK BOX
- FOR OUTLANDER MAX
- Linq 32 GAL (124L) TRUNK BOX PANELS 13
- 17 DELUXE FAIRING
- HIGH WINDSHIELD FOR DELUXE FAIRING 17
- 17 DELUXE MIRROR KIT
- FENDER FLARES 35
- **HEATED HAND GRIPS & THROTTLE COMBO** 36
- 37 BAJA DESIGNS HIGH BEAM KIT

# WE'RE BUILT FOR 10 DELOW

VERSATILE COLD-WEATHER CAPABILITY TO BE EXPERIENCED—AND EVEN ENJOYED —WITH THE APACHE TRACK SYSTEM AND CAN-AM PROMOUNT PLOW KIT.

#### 18 HIGH WINDSHIELD KIT

- 36 HEATED GRIPS & THUMB THROTTLE COMBO
- 41 WARN PROVANTAGE 3000 WINCH
- 51 APACHE 360 LT TRACK SYSTEM

11.1

- 51 APACHE 360 LT MOUNTING KIT 54 CAN-AM PROMOUNT FLEX2
- 60" (152 CM) BLADE
- 56 CAN-AM PROMOUNT PUSH FRAME EXTENSION
- 56 CAN-AM PROMOUNT PUSH FRAME WITH QUICK-ATTACH SYSTEM
- 56 CAN-AM PROMOUNT Mounting plate
- 57 CAN-AM PROMOUNT BLADE EXTENSIONS
- 57 CAN-AM PROMOUNT DRIFT CUTTERS

# WE'RE BUILT FOR HUNTING

YOUR PERFECT HUNTING RIG IS WITHIN REACH—IT'S JUST A MATTER OF OUTFITTING IT TO YOUR NEEDS. THE OUTLANDER ADAPTS QUICKLY BETWEEN JOB AND WEEKEND USE AND MAKES SHORT WORK OF BRINGING GAME HOME.



#### OUTLANDER

For the international market, the Squad Green color is only available on the Outlander 570 PRO.



- 11 Ling PREMIUM STORAGE BAG BY OGIO
- 15 Ling LOW PROFILE BASKET
- 18 LOW WINDSHIELD KIT
- 23 GUN BOOT 6.0 IMPACT BY KOLPIN
- 23 GUN BOOT RACK
- 33 XT FRONT & REAR BUMPERS
- 38 RAM LED SPOTLIGHT
- 41 WARN PROVANTAGE 3000 WINCH

# ATV ACCESSORY COMPATIBILITY GUIDE

## WE'VE MADE THINGS SUPER SIMPLE.

Determine your **MODEL YEAR**, find your **MODEL** and **ENGINE CONFIGURATION**, and that'll reveal your **PLATFORM CODE**. — This code will let you know at a glance if the accessory is compatible with your vehicle.

Renegade

#### EXAMPLE

#### CAN-AM PROMOUNT MOUNTING PLATE

 Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
 Mounting plate precision-designed to stay on year round without compromising ground clearance.
 62, 62L, 62S
 715004338



MODEL YEAR	MODEL	ENGINE CONFIGURATION	PLATFORM CODE
	Outlander	400	G1
	Outlander	500, 650, 800, 1000	G2
2013	Outlander MAX	400	G1
	Outlander MAX	500, 650, 800, 1000	G2
	Renegade	500, 800, 1000	G2S
	Outlander	400	G1
	Outlander	500, 650, 800, 1000	G2
2014	Outlander MAX	400	G1
	Outlander MAX	500, 650, 800, 1000	G2

500, 800, 1000



MODELYEAR	MODEL	ENGINE CONFIGURATION
2015	Outlander L	450,500
	Outlander	500, 650, 800, 1000
	Outlander L MAX	450, 500
	Outlander MAX	500, 650, 800, 1000
	6x6	650, 1000
	Renegade	500, 800, 1000

	Outlander L	450, 570
	Outlander	570, 650, 850, 1000
2016	Outlander L MAX	450, 570
	Outlander MAX	570, 650, 850, 1000
	6x6	650, 1000
	Renegade	570, 850, 1000

	Outlander	450, 570
	Outlander	650, 850, 1000
2017	Outlander MAX	450, 570
2017	Outlander MAX	650, 850, 1000
	6x6	650, 1000
	Renegade	570, 850, 1000

018	Outlander	450, 570
	Outlander	650, 850, 1000
	Outlander MAX	450, 570
	Outlander MAX	650, 850, 1000
	6x6	650, 1000
	Renegade	570, 850, 1000

2

2019	Outlander	450, 570
	Outlander	650, 850, 1000, 1000R
	Outlander MAX	450, 570
	Outlander MAX	650, 850, 1000, 1000R
	6x6	650, 1000
	Renegade	570, 850, 1000, 1000R

FOR G1 ACCESSORIES, REFER TO YOUR LOCAL DEALER.

G2S

#### ATV ACCESSORY COMPATIBILITY GUIDE 7

PL	ATI	FOF	RM	CO	DE

G2L
G2
G2L
G2
G2
G2S

G2L
G2
G2L
G2
G2
G2S

	G2L

G2





G2L	
G2	
G2L	
G2	
G2	
G2S	

G2L
G2
G2L
G2
G2
G2S





# RUGGED. RELIABLE. DURABLE.

ALL LINO CARGO OPTIONS ATTACH AND RELEASE IN SECONDS TO ADAPT BETWEEN WORK AND PLAY



LinQ 23 GAL (86L) TRUNK BOX LinQ 11.5 GAL (43L) AUDIO CARGO BOX

### THE ULTIMATE RUGGED COOLER

LinQ 8 GAL (30L) COOLER BOX SEE P.10

#### SERIOUS SOUND & STORAGE

LinQ 11.5 GAL (43L) AUDIO CARGO BOX SEE P.10

### SLIM & SLEEK CARGO BOX

LinQ 12 GAL (45L) CARGO BOX SEE P.11



### LIGHTWEIGHT ADDED CAPACITY WITH DIVIDERS

LinQ PREMIUM STORAGE BAG BY OGIO SEE P.11

#### ULTIMATE ALL-WEATHER PROTECTION

LinQ 23 GAL (86L) TRUNK BOX SEE P.12

### YOUR LARGEST ITEMS COVERED WITH STYLE

LinQ 32 GAL (124L) TRUNK BOX SEE P.13

#### SEE P.10-15 TO DESIGN YOUR OWN CARGO SOLUTION

THERE'S A LinQ CARGO OPTION THAT FITS YOUR NEEDS



#### CARGO & STORAGE 10

## **UNMATCHED SEMI-RIGID RUGGED FLEXIBILITY** WITH 3-SECTION LID

#### CATCH THE VIDEO

#### OUTLANDER RENEGADE

#### 

#### LinQ 8 GAL (30L) COOLER BOX

· LinQ mounted for easy-on, easy-off installation. Rotomolded construction provides exceptional rigidity and durability. • Premium-quality foam insulation for optimal ice retention. Integrated, fully-removable compartment protects food. • Robust rubber latches keep the cover tightly closed. ·Weather-resistant. Convenient drain plug • LinQ Luggage Rack (715001734) is required for G2S. G2 (except 6X6 models), G2S

715004778 • Black

0

Fan-am

sounds

G2 (except 6x6 models), G2S 715004698 • Grey

#### Ling

715003018

0

#### LinQ 11.5 GAL (43L) AUDIO CARGO BOX

· An affordable and quick solution for adding music and storage to your next ride. Mounts on/off easily to hold/carry cargo safely and securely. • The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover. Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity. G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S

IT'S A CARGO BOX.

IT'S AN AUDIO RECEIVER &

& CAN-AM INNOVATION

SPEAKER SYSTEM. IT'S LinO VERSATILITY

· Backlit control panel perfect for night riding. Water-resistant speakers. Delivers the best sound quality on the market to sweeten your ride courtesy of a built-in full range high-efficiency amplifier. • LinQ Base (715002350) is required for G2L. · LinQ Luggage Rack (715001734) is required for G2S.

UST

HAW

## OUTLANDER RENEGADE

#### 

#### LinQ 12 GAL (45L) CARGO BOX

· LinQ mounted for easy-on, easy-off installation. Holds cargo safely and securely while riding.
LinQ Base (715002350) is required for G2L. · LinQ Luggage Rack (715001734) is required for G2S. G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S 715003879

#### LINR

#### **LinQ PREMIUM STORAGE BAG BY OGIO**





#### CARGO & STORAGE 11




• 17.2 Gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle.

· Buckle and elastic closure with a rubber seal that protects dust from entering the bag.

G2 (except 6x6 models), G2L, G2S 715002923 • Black 📰 715003248 • Mossy Oak Break-Up Country Camo

- Tool-less installation and removal thanks to the LinQ System. 3-section lid for partial or full access to your bag.
  - Inside separators for optimal bag organization.
  - · LinQ Base (715002350) is required for G2L.
  - · LinQ Luggage Rack (715001734) is required for G2S.

**INSIDE SEPARATORS FOR OPTIMAL BAG ORGANIZATION** 



OUTLANDER

#### Ling

#### LinQ 23 GAL (86L) TRUNK BOX

· LinQ mounted for easy-on, easy-off installation. · Lockable and weather-resistant. · Holds cargo safely and securely while riding. · Comfort pads for passenger. · LinQ Base (715002350) is required for G2L. G2 (except 6x6 models), G2L, G2S



#### Ling LinQ BASE

715004923

 Made of polypropylene 
 Allows you to install glass fiber. LinQ accessories.

<u>G2L</u> 715002350



## Ling LinQ REPLACEMENT PARTS

• Unique mounting fastener usable on any LinQ System accessory. · Tool-less installation and removal. · Sold in pairs. 715001707



#### OUTLANDER RENEGADE

## LinQ 32 GAL (124L) TRUNK BOXES

#### Seamless integration with vehicle

• Built from the design stage to specifically match your Can-Am vehicle. • Totally cohesive design eliminates the need to modifiv your vehicle in any way\*. • Rear tail light.

#### Easy quick-attach installation

· Equipped with the LinQ System, the rear trunk box plugs in and out in seconds. · Instantly transforms your vehicle to suit the need of the moment.

## Ling

#### LinQ 32 GAL (124L) TRUNK BOX Ling Retrofit Adaptor Plate (715001334) is required for G1 models.

• Trunk Box Panels available in many colors to match your vehicle (sold separately). · LinQ Luggage Rack (715001734) is required for G2S. G2 (except MAX models & 6x6), G2S European Version (EC compliant) 715001747

• No rear tail light. 715001748



#### LinQ 32 GAL (124L) TRUNK BOX PANELS

• Color panels to match the 32 Gal (124L) LinQ Trunk Box to your vehicle. LinQ 32 Gal (124L) Trunk Boxes

715001391 • Black 715001392 • Yellow 715001395 • Viper Red 715002481 • White 715002480 • Light Grey

715002984 • Octane Blue 715002985 • Manta Green 715002986 • Can-Am Red

EUROPEAN VERSION (EC compliant) No rear tail light

715001397 • Black

715001398 • Yellow

715002482 • Light Grey 715002483 • White

#### CAMO DECALS FOR BLACK TRUNK BOX PANELS

(Not illustrated) · Camo pattern perfectly matches your camo vehicle. Black LinQ 32 Gal (124L) Trunk Box Panel IN 715002975 • Mossy Oak Break-Up Country Camo ## 715001683 • Next G-1 Vista Camo

\*WARNING: You should never accessorize your Can-Am off-road vehicle with accessories not approved by BRP because your vehicle may no longer meet certain safety and construction standards. This situation could increase the risk of severe injury or death and render your vehicle not legal for use.

Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

#### **Unparalleled storage**

• 32 Gal (124L) load capacity with contiguous unobstructed space to maximize storage room and access to the trunk's interior.

#### Built tough

 Made of injection-molded polyethylene, double walled in critical areas.

#### Dust & weather proof

• The fully sealed lid protects your belongings from dust, moisture and the elements

#### Lockable

· Built-in lockable barrel.

### Ling

#### LinQ 32 GAL (124L) TRUNK BOX FOR OUTLANDER MAX

· Passenger comfort is ensured on active rides as well as longer recreational rides thanks to the ergonomically designed passenger padding comfort-fitted with a portion made of closed cell foam that won't absorb water. · Very easy to embark even when driver is seated.

Trunk Box Panels available in many colors to match your vehicle (sold separately).

G2 (MAX models only except 6x6 models)

715001749

EUROPEAN VERSION (EC compliant) No rear tail light. 715001750







#### OUTLANDER RENEGADE

#### SOFT STORAGE BAG

• 3-section bag. • Transport gear in a weatherproof bag. • 11.8 Gal (45L) capacity soft cargo bag designed with vehicle's rack in mind to maximize potential storage. · LinQ Luggage Rack (715001734) is required for G2S.

<u>G2, G2L, G2S</u>

715003759 • Black IN THE STATE OF TH Country Camo





#### CARGO BAG

280000539

Fits all

269502121

• Rugged all-purpose cargo bag with rain cover for additional protection against the elements. • LinQ Luggage Rack (715001734) is required for G2S. <u>G2, G2L, G2S</u>

STORAGE 2.6 GAL (10L) BAG

• Roll-top dry bag for fully protecting your cargo from the elements. • Fits in rear compartment of your vehicle.





RAIN COVER FOR ADDITIONAL PROTECTION

#### RENEGADE

#### **REAR BAG FOR RENEGADE 4.5 GAL (17L)**

• Weatherproof, scratch-resistant, with a molded rubber bottom. · Tool-less installation and removal. • With 2 straps that go underneath the rack and click into the front of the bag. · Requires Rear Aluminum Rack. <u>G2S</u>

715002391





OUTLANDER RENEGADE

#### LINR

#### LinQ HEAVY-DUTY BASKET

• Made of high-strength, low-alloy steel. · LinQ mount for easy-on, easy-off installation. • Can be placed on both front and back racks of vehicle. · LinQ Base (715002350) is required for G2L. · LinQ Luggage Rack (715001734) is required for G2S. G2, G2L (front only for MAX & 6x6 models), G2S 715001215



1

#### CARGO & STORAGE 15

#### **LinQ SYSTEM MOUNTS BASKETS IN SECONDS SO YOU CAN LOAD & GO QUICKER**

#### LinQ LOW PROFILE BASKET

- · Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
  Made of impact-resistant injected polypropylene.
- · LinQ Base (715002350) is required for G2L.
- · LinQ Luggage Rack (715001734) is required for G2S.

#### G2, G2L (front only for MAX & 6x6 models), G2S 715004282

WINDSHIELDS

# CREATE YOUR WIND PROTECTION

**DELUXE FAIRING - BLACK** LOW WINDSHIELD **AUXILIARY WINDSHIELD LIGHTING DELUXE MIRROR KIT** 

3

## CHOOSE A DELUXE FAIRING AND GET THE WINDSHIELD HEIGHT **ACCORDING TO YOUR RIDING STYLE** EXTRA HIGH - 16" (41 cm) 1 HIGH - 11" (28 cm) 2 LOW - 6" (15 cm) 3 can an

#### **DELUXE FAIRING**

**CAMO DECALS FOR** 

**Deluxe Fairing** 

**BLACK DELUXE FAIRING** 

### 715001684 • Next G-1 Vista Camo

Camo pattern perfectly matches your camo vehicle.

💵 715002976 • Mossy Oak Break-Up Country Camo

· Innovative, richly-featured wind protection. • Quick tool-less removal once base brackets are mounted on handlebar. • 2 cup holders. · GPS-mounting-kit-ready. G2 (except X mr & 6X6), G2L 715000935 • Yellow 2000 715001231 • Red Viper

• Optional mirrors and auxiliary lighting. • Requires low, high or extra high windshield. Tapered Handlebar Adaptor Kit is required for vehicles with 1 1/8" (28 mm) tapered aluminum handlebars. • Does not fit T3 units.

715001232 • Black 715002479 • Light Grey

#### TAPERED HANDLEBAR ADAPTOR KIT

(Not illustrated) • Required to install Deluxe Fairing on an Outlander X-TP and on any vehicle equipped with 1 1/8" (28 mm) tapered aluminum handlebars. **Deluxe Fairing** 715002470

#### **AUXILIARY WINDSHIELD LIGHTING**

• 2 premium LED spots for • 2 10W LED Cree light kit. Deluxe Fairing for both Long-range illumination up increased output and to 350' (107 m), drawing directional lighting. less than 1 amp per light. • 1,800 lumens. **Deluxe Fairing** 715003115

**DELUXE MIRROR KIT** 

 Improved mounting system. • Wide rear view. · Perfect fit with your Deluxe Fairing and Deluxe Windshield. **Deluxe Fairing** 715002353







#### WINDSHIELDS 17







#### **2 HIGH WINDSHIELD**

• 11" (28 cm) high, for wind protection and winter applications. • Tool-less installation and replacement.

**Deluxe Fairing** 715001211



#### **3 LOW WINDSHIELD**

• 6" (15 cm) windshield allows you to keep your vehicle looking sporty while giving you some protection from the elements and the possibility of enjoying directional lighting. Tool-less installation and replacement.


**Deluxe Fairing** 715001227





715003021

#### OUTLANDER RENEGADE





#### OUTLANDER RENEGADE

#### HANDLEBAR WIND DEFLECTORS

· Rugged injected plastic construction with Can-Am logo. · Include removable cap for air flow adjustment. • Mounting kit sold separately. <u>G2, G2L, G2S</u> 715000525 • Black / Yellow 715000537 • White / Black 715001706 • Black / Black 715000733 • Yellow / Black

715003811 • Can-Am Red / Black 715003812 • Manta Green / Black 715003813 • Orange / Black **715003814** • Octane Blue / Black



FULL WRAP ALUMINUM MOUNTING KIT · Lightweight black die cast aluminum construction. · Includes complete hardware. · Handlebar wind deflectors sold separately. <u>G2, G2L, G2S</u> 715001378

#### SHORT ALUMINUM MOUNTING KIT

· Lightweight black die cast aluminum construction. Includes complete hardware. · Handlebar wind deflectors sold separately. <u>G2, G2L, G2S</u> 715001379



#### **ALUMINUM TAPERED HANDLEBAR**

• 7/8"- 1 1/8" (22 mm - 28 mm) tapered handlebar made of 6061-T6 aluminum. · Includes all hardware, center steering foam and cover. <u>G2, G2L, G2S</u> 715000550



#### **XT HANDLEBAR PROTECTOR KIT**

• Not compatible with Mud Strap (715003053). <u>G2, G2L</u> 703100352



MIRRORS

• Matte finish. Left - 3/8" (10 mm) for installation on DS 450. 709400406

# HANDLEBARS & MIRRORS <sup>19</sup>

#### PASSENGER WIND DEFLECTORS

• These wind deflectors fit on the passenger handles and provide greater comfort while riding. · Easy to install and remove.

G2 and G2L (MAX models only) 715001669



#### MIRROR KIT FOR HANDLEBAR WIND DEFLECTORS

• Do not fit with Full Wrap Aluminum Mounting Kit (715001378). Sold in pairs.

Handlebar Wind Deflectors 860200080



• True vision surface 5" x 3" (13 cm x 8 cm).


· Stem includes 3/8" (10 mm) thread.

 Bracket (715000190) is required · Bracket not required for installation on Outlander and Renegade.

#### Right - 3/8" (10 mm)

• Bracket (715000190) required except for vehicles with right hand break. 709400523





#### OUTLANDER

#### **DRIVER BACKREST**

 Provides the rider's back with that extra support that makes riding that extra mile way more comfortable. • Adjusts horizontally to match the driver's height and preference. · Mounts and locks in firmly onto the vehicle. <u>G2 (except 6x6 & MAX models)</u> <u>G2 and G2L (MAX models only,</u> 715003940 except 6x6 models)

715003942

G2L (except MAX models) 715003941

#### **OUTLANDER MAX PASSENGER SEAT KIT**

• Perfect to replace used or damaged passenger seat. <u>G2 2015 and up, G2L (MAX models only)</u> 715002373





OUTLANDER RENEGADE

**LARCE RACK EXTENSIONS** 

• Fits front or rear. • Strong and durable.

• Helps keep cargo securely in place. Easy and tool-less installation thanks to the LinQ System.

#### LinQ 4" (10 CM) RACK EXTENSION

<u>G2, G2S</u> 715001711 • Silver

715001665 • Black



# RACKS & HOLDERS<sup>21</sup>

 Anti-corrosion coating with durable powder coat finish.

• LinQ Luggage Rack (715001734) is required for G2S.

#### LinQ 6" (15 CM) RACK EXTENSION <u>G2, G2S</u>

715001712 • Silver

715001671 • Black





#### OUTLANDER

## **RACK EXTENSIONS**

• Fits front or rear. · Made of carbon steel. • Provides tie-down points to secure cargo on racks. · Easy installation on tubular rack.

· Anti-corrosion coating with durable powder coat finish.

#### 5" (13 CM) RACK EXTENSION

<u>G2L</u>



#### RENEGADE

## Ling

LinQ LUGGAGE RACK

• Bolt-on rack. • Enables use of LinQ mounted accessories on the G2S. G2S (except X mr models) 715001734

**BOLT-ON RACK QUICKLY** & EASILY LETS YOU ADD LinQ MOUNTED ACCESSORIES ONTO YOUR RENEGADE



#### 8" (20 CM) RACK EXTENSION



#### **REAR ALUMINUM RACK**

· 30 lb (14 kg) capacity. Compact, lightweight aluminum construction. Engraved Can-Am logo. Stamped 5052 aluminum center plate. • Easy to install. <u>G2S</u> 715001360





#### OUTLANDER

**GUN BOOT RACK**  Made of steel. • Designed for the tubular rack. • For use with Gun Boot 6.0 Impact by Kolpin. • Can be mounted to either side of the vehicle. G2L (except G2L (MAX models MAX models) only) 715001918 715001919

 Provides ample room for 2 3/8" (60 mm) scopes. · Hatchback design allows easy access. points for sling. <u>G2, G2L</u> 715001419

Sold in pairs.

<u>G2, G2L</u>

<u>Single</u>



#### LinQ GUN BOOT RACK (Not illustrated) This lightweight Gun Boot Rack can be mounted on either side of your Outlander using the tool-less LinQ System. • For use with Gun Boot 6.0 Impact by Kolpin.

G2 (except MAX, 6X6 & X mr 1000) 715002112 · Black G2 (MAX & X mr 1000 models only) 715002113 • Black

#### **GEAR GRIPS BY KOLPIN**

 Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter. Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more. · Quick-release button opens grip quickly for easy access to gear. · Heavy-duty base system built for the toughest adventures. • Easy installation on tubular racks, extension racks, brackets or bumpers. · Sold in pairs. G2L

715001421

715002354 Ling **BY KOLPIN** (Not illustrated) • 360° orientation.

715001919

<u>G2, G2S</u> 715001351

#### GUN BOOT 6.0 IMPACT<sup>†</sup> BY KOLPIN<sup>†</sup>

• Extra room for pistol-grip-type weapons and small bipods. • Easily fits firearms up to 51" (130 cm) in total length.

- Ergonomically designed handle and molded attachment
- · Snap-close cover with locking capability.
- Designed to accommodate left and right hand bolt-action rifles and shotguns.
- · Includes removable, shock absorbing foam and nylon impact liner for superior interior protection.
- · Requires appropriate mounting kit for installation.



#### **MULTI-FIT HOLDER**

• Open u-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but easily accessible. · Easy installation on tubular rack, extension racks, basket or bumpers. • For G2, the LinQ Rack Extension is required.

> <u>G2, G2L</u> Double 715001945



#### OUTLANDER RENEGADE

#### LinQ MOUNTED GEAR GRIPS

• Same features as Gear Grip by Koplin (715001421). • Make transporting your tools a snap by combining the Gear Grips with the LinQ System.

· LinQ Luggage Rack (715001734) is required for G2S.



#### Lin0 TOOL HOLDER

- · Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- LinQ Luggage Rack (715001734) is required for G2S.

• Sold in pairs. <u>G2, G2S</u> 715003059





OUTLANDER RENEGADE

# HMWPE SKID PLATES

Our Plastic Plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of 1/4" (6 mm) thick abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE). Lighter than aluminum. Superior stress crack resistance. High impact strength.

OFFER YOUR OUTLANDER OR RENEGADE THE FULL PROTECTION KIT OR GET THEM INDIVIDUALLY

	1000 C	Jac. pres	1.	No. I was	- Channel Ba	and a second	and the second		CR:	
			G	2			G	2L	Gź	2\$
	2016 & PRIOR MODELS (EXCEPT MAX MODELS & X MR 1000R)	2016 & Prior Max & X Mr 1000r Models	2017-2018 Models (Except Max & X Mr 1000r)	2017-2018 Max & X MR 1000R Models	2019 Models (Except Max & X Mr 1000r)	2019 MAX & X MR 1000R Models	(EXCEPT MAX Models)	MAX Models Only	2017-2018 Models	м
HMWPE SKID PLATE PROTECTION KIT	715004214	715004215	715004209	715004210	715004806	715004807	715004211	715004212	715004213	715
INDIVIDUAL HMWPE SKID PLATES										
A-ARM PROTECTORS • Protect CV joints and rubber boots. • Include water and mud drainage holes. • Sold in pairs.	715002924	715002924	715002924	715002924	715004822	715004822	715002924	715002924	715002924	715
UNDERBELLY PLATES - Include Front Skid Plate, Central Skid Plate, Footwell Protector Plates and Rear Skid Plate. - Allow access to oil drain plug. - Include water and mud drainage holes.	715002926	715002927	715002926	715002927	715002926	715002927	715002928	715002929	715002974	715
<b>TRAILING ARM PROTECTORS</b> <ul> <li>Include water and mud drainage holes.</li> <li>Sold in pairs.</li> </ul>	715002925	715002925	715003466	715003466	715004823	715004823	715003466	715003466	715003466	715(
PLASTIC SKID PLATES										
FRONT AND CENTRAL PLASTIC SKID PLATES (Not illustrated) • Designed to protect frame and engine from rough terrain conditions. • Standard on Outlander L DPS® and Outlander L MAX DPS.	-	-	-	-	715002374 <u>(STD only)</u>	-	-	-	-	

Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

#### FIND YOUR MODEL YEAR AND PLATFORM

## OUTLANDER RENEGADE

Our Plastic Plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE). Lighter than aluminum.

**OFFER YOUR OUTLANDER &** RENEGADE THE FULL PROTECTION KIT OR GET THEM INDIVIDUALLY

3	V	The second second	the state of the state	A CONTRACTOR		All Aca	and the second
3		OUTLANDER	OUTLANDER MAX	OUTLANDER 6X6	G2, G2S	G2L	G2L MAX
1.4.1	INDIVIDUAL PLASTIC SKID PLATES						
1	A-ARM PROTECTORS G2 - Protect CV joints and rubber boots. - Include water and mud drainage holes. - Thickness 6 mm. - Can-Am logo. - Sold in pairs.	715002924	715002924	715002924	715002924		_
2	TRAILING ARM PROTECTORS G2 · Include water and mud drainage holes. · Sold in pairs. · Thickness 6 mm.	715002925		715002925	715002925	_	_
3	<b>PLASTIC SKID PLATE G2</b> For G2 chassis.	715003046	715003047	_	_	715002977	715002978

CURVED FRONT END

FULL SIZE CENTER SECTION, 10 MM THICK

FOOTWELL PLATES, 8 MM THICK



60

C

00

# PLASTIC SKID PLATES

SKID PLATES

#### **FIND YOUR MODEL** YEAR AND PLATFORM



QUICK AND EASY TO INSTALL

# **ALUMINUM SKID PLATES**

Our Aluminum Plates are made with high strength 5052 H32 aluminum. A must-have for rugged terrain.

OFFER YOUR OUTLANDER THE FULL PROTECTION KIT OR GET THEM INDIVIDUALLY

GET THEM INDIVIDUALLY	-	10.00	A DE MARK	200	110 20	Service .			
				G2				G	2L
	2016 & PRIOR Models (Except Max Models & X MR 1000R)	2016 & Prior Max & X Mr 1000r Models	2017-2018 Models (Except Max & X Mr 1000r)	2017-2018 MAX & X MR 1000R MODELS	2019 Models (Except Max & X Mr 1000r)	2019 MAX & X MR 1000R Models	2018 & Prior 6x6 Models Only	(EXCEPT Max Models)	MAX Models Only
ALUMINUM SKID PLATE PROTECTION KIT	715002137	715002138	715004197	715004198				715004199	715004200
INDIVIDUAL ALUMINUM SKID PLATES									
<ul> <li>A-ARM PROTECTORS</li> <li>1/8" (3 mm) thick lightweight and durable design.</li> <li>Add more protection to the CV joints and rubber boots.</li> <li>Drain holes to release water, mud and debris.</li> <li>Easy to install.</li> <li>Replace stock plastic protectors.</li> <li>Sold in pairs.</li> <li>Except X mr models.</li> </ul>	715001667	715001667	715001667	715001667	-	-	715001667	715001667	715001667
<b>FRONT SKID PLATE</b> • 3/16" (4.5 mm) thick and die-formed for strength and durability. • Use in conjunction with the central skid plate for full frame protection.	715000926	715000926	715000926	715000926	715000926	715000926	-	715001906	715001906
CENTRAL SKID PLATE - 3/16" (4.5 mm) thick for durability and strength. - Drain holes to release water, mud and debris. - Allows access to oil drain plug. - Must be installed with front skid plate.	715002078	715002078	715002078	715002078	715002078	715002078	-	715002078	715002078
FOOTWELL PROTECTOR PLATES 1/8" (3 mm) thick lightweight and durable design. Use in conjunction with the central skid plate. Drain holes to release water, mud and debris. Sold in pairs. Don't fit with 30" Xmr tires.	715000922	715000922	715000922	715000922	715000922	715000922	-	715000922	715000922
<ul> <li>TRAILING ARM PROTECTORS</li> <li>1/8" (3 mm) thick lightweight and durable design.</li> <li>Replace stock plastic protectors.</li> <li>Sold in pairs.</li> </ul>	715001129	715001129	715003741	715003741	-	-	715001129	715003741	715003741
<b>REAR DIFFERENTIAL PROTECTORS</b> • 1/8" (3 mm) thick lightweight and durable design. • Replace stock plastic protector.	715000920	715000920	715000920	715000920	715000920	715000920	-	715000920	715000920
<b>REAR SKID PLATE</b> • 3/16" (4.5 mm) thick for durability and strength. • Must be installed with the central and front skid plates.	715002028	715002029	715002028	715002029	715002028	715002029	-	715002028	715002029

0

#### OUTLANDER

## FIND YOUR MODEL YEAR AND PLATFORM

**SKID PLATES** 

#### RENEGADE

# **ALUMINUM SKID PLATES**

Our Aluminum Plates are made with high strength 5052 H32 aluminum. A must-have for rugged terrain.



2 0

#### FIND YOUR MODEL YEAR AND PLATFORM V

	G2S 2016 & PRIOR	G2S 2017-2018	G2S 2019
ALUMINUM SKID PLATE PROTECTION KIT	715002139	715004201	
INDIVIDUAL ALUMINUM SKID PLATES			
A-ARM PROTECTORS	715001667	715001667	-
FRONT SKID PLATE - 3/16" (4.5 mm) thick and die-formed for strength and durability. • Recessed bolt holes.	715000925	715000925	715000925
CENTRAL SKID PLATE         • 3/16" (4.5 mm) thick for durability and strength.         • Drain holes to release water, mud and debris.         • Allows access to oil drain plug.    • Standard on Renegade X xc. • Must be installed with Front Skid Plate.	715002078	715002078	715002078
FOOTWELL PROTECTOR PLATES           1/8" (3 mm) thick lightweight and durable design.         • Use in conjunction with Central Skid Plate.           • Drain holes to release water, mud and debris.         • Sold in pairs.	715001359	715001359	715001359
TRAILING ARM PROTECTORS         1/8" (3 mm) thick lightweight and durable design.         • Replace stock plastic protectors.	715001129	715003741	-
<b>REAR DIFFERENTIAL PROTECTORS</b> • 1/8" (3 mm) thick lightweight and durable design. • Replace stock plastic protectors.	715000920	715000920	715000920
REAR SKID PLATE • 3/16" (4.5 mm) thick for durability and strength. • Must be installed with the central and front skid plates.	715002028	715002028	715002028

# DURABILITY SLEEK ENOUGH TO WORK ALONGSIDE YOUR HERD

## COMPLETE RANCHER **PROTECTION KIT**

KIT INCLUDES: **RANCHER FRONT BUMPER RANCHER REAR BUMPER BODY SIDE PROTECTOR** 

**SEE P.32** 

CATCH THE VIDEO

Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

7

# BUMPERS & GUARDS <sup>31</sup>



#### OUTLANDER

## **COMPLETE** RANCHER **PROTECTION KIT**

#### RANCHER FRONT BUMPER

 The low front end protection and plates allow you to use your ATV within cattle herds and guard the safety of both the vehicle and the animals.

 The flat front portion facilitates gently prodding cattle or pushing light objects, e.g. closing a fence. • The full frontage coverage extends to provide an extra layer of defense to your headlights and radiator. · Inside and outside anti-corrosion coating with durable powder coat finish. • Not compatible with track systems, plows and front hitch. • Not compliant with T-category vehicles.

G2, G2L (except X mr models) 715003461

#### These heavy-duty bumpers and fender guard are designed to pull double duty: protect your ATV and anything it comes in contact with, while also enhancing the look of your ATV. • Made tough and designed to deliver a rugged appearance, together they offer front, rear and full side protection for farmer, rancher and forestry applications. Requires Body Side Protector Extensions (715003460) for installation on MAX models. • Not compliant with T-category vehicles.

#### **RANCHER REAR BUMPER**

• Ideal for using your ATV within cattle herds and guard the safety of both the vehicle and the animals. · Coverage extends to provide an extra layer of defense to your tail lights. · Inside and outside anti-corrosion coating with durable powder coat finish. • Not compatible with track systems. • Not compliant with T-category vehicles. G2, G2L (except 6x6 models)

715003462

#### THIS KIT INCLUDES:

 Rancher Front Bumper (715003461) Rancher Rear Bumper (715003462) Body Side Protector (715003459) G2, G2L (except X mr & 6x6 models) 715003463

#### **BODY SIDE PROTECTOR**

715003459

• Built of durably bold 1.25" (3 cm) diameter steel-tube construction, with inside and outside anti-corrosion coating with durable powder coat finish. • XT Front and Rear Bumpers or Rancher Front and Rear Bumpers are required for installation. Requires Body Side Protector Extensions (715003460) for installation on MAX models. G2 with XT bumpers 2018 **G2L with XT bumpers** & prior or Rancher bumpers

(except X mr models) (except X mr & 6x6 models) 715003614



**BODY SIDE PROTECTOR EXTENSIONS** 

integrate the look of Outlander MAX models.

(Not illustrated)

G2 MAX, G2L MAX 715003460





Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

This specially designed extension for the Body Side Protector is made specifically to fit and seamlessly

#### OUTLANDER

#### **XT FRONT BUMPER**

· Provides additional protection against the elements. • Tough and durable, can be added on base Outlander model to convert vehicle into XT model. · Standard on XT model. <u>G2</u>

· Large tube construction with textured black finish and plastic corners. 715000947

 Large tube construction with textured black finish and metal corners. 715004837 **New** 



**XT FRONT BUMPER** · Large tube construction. Protects vehicle frame against obstacles. Winch compatible <u>G2L</u> 715001910

#### **XT FRONT COUPLING DEVICE**

(Not illustrated) Required for T3 models <u>T3</u> 705205025

#### BUMPERS & GUARDS 33

#### **XT REAR BUMPER**

- · Provides additional protection against the elements.
- Tough and durable, can be added on base Outlander model to convert vehicle into XT model.
- Standard on XT model.

#### <u>G2</u>

· Large tube construction with textured black finish and plastic corners.

715000948

 Large tube construction with textured black finish and metal corners. 715004920 NEW



#### **XT REAR BUMPER**

 Large tube construction. · Protects vehicle frame against the obstacles. G2L 715001911





#### OUTLANDER

#### **EXTREME FRONT BUMPER**

• Ultra-sturdy build.				
<ul> <li>Enhances front-vehicle protection.</li> </ul>				
Compatible with XT Front Bumper.				
<ul> <li>Fits the Apache<sup>™</sup> 360 Track System (when side panels are removed).</li> </ul>				
<ul> <li>Not compatible with Front Hitch.</li> </ul>				
<ul> <li>Not compliant with T-category vehicles.</li> </ul>				
<u>62</u>	<u>G2L</u>			
• Not compatible with Front Hitch.	715004279			

715001286

715004279



715004279

RENEGADE

#### **RENEGADE EXTREME FRONT BUMPER**

 Enhanced vehicle front protection. • Required as a mounting point for Radiator Relocator (715001929). <u>G2S</u> 715002469



MORE PROTECTION AND **ADDITIONAL STYLE OUT OF YOUR RENEGADE** 

#### OUTLANDER

#### FENDER FLARES

<ul> <li>Kit designed to deliver extra protection from dirt and debris,</li> </ul>				
ling in the mud.				
gs your vehicle fenders perfectly.				
Gives vehicle added flair for that rugged cool look.				
ons and all mounting hardware.				
G2 (with 30" tires)				
(except 6x6 models)				
Standard on G2 X mr 1000R.				
715004250				

<u>G2L</u> • Not compatible with T category. 715001909 G2L T category 2015 & up 715004487 **New** 



#### FENDER FLARE EXTENSIONS

 Block terrain debris from kicking up onto you as you ride or damaging your vehicle thanks to these
extra-large Fender Flare Extensions, which also include mud flaps for added protection from mud/ snow, especially when riding with track kits. • Made of High Molecular Weight Polyethylene (HMWPE) for advanced abrasion resistance.

· Include front and rear extensions.

<u>G2 (except 6x6 models)</u> • Must be used with Fender Flare for G2 (715001764). 715005111

G2L • Must be used with Fender Flare for G2L (715001909). 715003615



#### **BODY SIDE PROTECTOR**

- The heavy-duty fender guard designed to pull double duty: protecting your ATV and also enhancing the look of your ATV.
- Made tough and designed to deliver a rugged appearance, this fender guard offers full side
- Built of durably bold 1.25" (3 cm) diameter steel-tube construction, with inside and outside anti-corrosion coating with durable powder coat finish.
- New generation XT Front and Rear Bumpers are required for installation.
   Not compatible with Front and Rear Rancher bumpers.

G2 with XT bumpers 2019 (except 6x6 models)

715004940



#### RENEGADE

#### FENDER FLARES

- Integrated extended Fender Flares for sporty look
- and full body protection from dirt and water. Include front and rear extensions and all mounting hardware.

#### G2S (except X mr models) 705012695



#### **LIGHTS & ELECTRICAL** 36



• Dual port USB connectors.

all device types while riding.

· Simply connect under driver seat and use.

\*The power outlet is not capable of recharging

• Plug-and-play kit.

<u>G2, G2L, G2S</u>

219400510

· Dual temperature switch integrated into seat arm for 3-zone heated handles and grips. Heated visor outlet integrated into seat arm. G2, G2L (MAX models only)

> <u>G2 (2013-2014)</u> (MAX models only)

715001926



#### BLUETOOTH HANDLEBAR SOUNDBAR BY MTX

Optional visor outlet that delivers fog-free riding.

· Quick and easy installation.

· Heated Visor not included.

· Sold individually.

G2, G2L

715001246

· Bluetooth speaker with the unbeatable convenience of fingertip control. • Rugged IP66-rated weather-resistant speaker designed for outdoor use. • Driven by 150 watts of quality audio power.

• Seamless integration and operation from Bluetooth enabled devices. • Includes: input, ground and ignition wires, plus auxiliary port and 3.5" connector cable.

• Note: We recommend you use 320 Kbps MP3 - 192-256 Kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

<u>G2, G2L, G2S</u> 219400840



# baja designs.

**ALL LED LIGHTS ARE NOT CREATED EQUAL BAJA DESIGNS LIGHTS ARE COVERED WITH A LIFETIME WARRANT** 

OUTLANDER RENEGADE

#### **BAJA DESIGNS HIGH BEAM KIT**

 Thanks to their direct bolt-on and plug-and-play installation right into the original high beam location, upgrading from your stock high beam lights to these powerful Baja Designs Squadron Pro LED Lights becomes child's play. • Each spot is equipped with 4 Cree LEDs producing 4,900 lumens at 40 watts. Driving/Combo light pattern for smooth blend of light for both near field applications and distance. • Not EC compliant.

G2 715004284

#### LIGHTS & ELECTRICAL 37



#### OUTLANDER RENEGADE

#### **MULTI POSITION LIGHT MOUNT KIT**

• Multi-position plastic clamps that fit on various tubing sizes: 0.75" to 1.5" (19 mm to 38 mm). • Required for the installation of the 2" (5 cm) Square LED Lights (2 x 10W). • Kit includes tube clamp mounts and power cables. G2 (except X xc), G2L

715004274

#### 2" (5 CM) SQUARE LED LIGHTS (2 X 10 WATTS)

#### • 2 x 900 lumens 10W LED Cree light kit.

• Long-range illumination up to 350' (107 m), drawing less than 1 amp per light. • Multi-Position Light Mount Kit is required for installation. • Not EC compliant.

<u>G2 (except X xc), G2L</u> 715004293







**RAM<sup>†</sup> LED SPOTLIGHT** 

• Not EC compliant.

<u>G2, G2L, G2S</u>

710005423

• 540 lumens LED light (9 Watt) heavy-duty spotlight

standard-equipped with 1" (2.5 cm) diameter

rubber-coated double ball and socket system.

#### **AUXILIARY WINDSHIELD** LIGHTING

• 2 premium LED spots for Deluxe Fairing for both increased output and directional lighting. • 1,800 lumens. • 2 x 10W LED Cree light kit. · Long-range illumination up to 350' (107 m), drawing less than 1 amp per light. **Deluxe fairing** 715003115

#### **CENTER CONSOLE DAY LIGHT** · Mountable on top end of center console. · Enhances look of vehicle. G2S (except X mr) 715000691



#### GARMIN<sup>†</sup> MONTANA<sup>†</sup> 680T GPS

• Rugged and waterproof, the Montana 680T is element-proof. · 4-inch dual-orientation, sunlight-readable touchscreen and glove-friendly touchscreen display,

- to give you vivid colors and high-resolution images. 8-megapixel autofocus camera automatically
- geotags photos.
- Tracks both GPS and GLONASS satellites for improved positioning and typically faster fixes.
- Preloaded TOPO maps, plus 1-year BirdsEye Satellite Imagery subscription. · 3-axis compass with barometric altimeter.
- Specific GPS cradle included (vehicle mounting kit required).
- Includes a preloaded map for US. <u>G2, G2L, G2S</u>
- 715002830
- EUROPEAN VERSION • EC compliant.
- · Includes preloaded European recreation map. 715003456





#### **GPS RAM MOUNT FOR HANDLEBAR**

 Convenient bracket for installing the Garmin Montana GPS (not included) onto your unit's handlebar. <u>G2, G2L</u> 715001985



#### OUTLANDER RENEGADE

#### **BATTERY CHARGER/MAINTAINER**

• Fully automatic 3 amp battery charger / maintainer.

- · Keeps stored lead-acid batteries charged.
- · Charges and maintains small batteries.
- · Microprocessor controlled multi-stage charging for added precision, safety and battery life.
- · Automatically detects 6 or 12 volt batteries.
- Float mode monitoring automatically maintains optimum battery charge. • Reverse hook-up protection helps protect battery and charger from damage.
- · Hook attachment hangs outside the work area for safety and convenience.
- Press the display button to show the charge progress.
- · Energy efficient/eco friendly, meets the highest industry standards for energy efficiency. • Content: 3 amp battery charger, clamp adapter, DC adapter, 24" (61 cm) fused ring leads
- harness with weather cap, owner's manual. • US plug (110V).
- 715005061



#### QUICK CONNECT BATTERY CABLE

(Not illustrated) • Quickly and easily connect and charge different batteries with your charger. · Included in the Battery Charger/Maintainer (715005061). Sold individually. 715005408

and 6 cylinder vehicles. and reverse charging. 715005062

860200997



#### **NEW JUMP STARTER**

· IPX3 water-resistant and enclosed output ports.

- 4 LED battery indicators for easy read on battery charge level. · Compact design, will conveniently fit in your backpack, glove box or any other storage compartment.
- Quickly starts vehicles in emergencies.
- Great for powersport vehicles, motorcycles and 4
- 2.4A + 1A/5V USB ports for fast charging of all USB devices, including smartphones, MP3 players and tablets.
- Smart cable provides protection against reverse
- polarity, short circuit, low voltage, high temperature
- Built-in LED light (3 modes).
- · Content: 300CA jump starter, SA858 smart cable clamp, MC-USB to USB charging cable, travel bag, user manual.






 CTEK, the manufacturer of the smartest battery chargers in the world, has produced a BRP specific charger for all BRP products. Charger is built to meet the demanding arctic conditions.

Ask your dealer for more information



**WINCHES** 



# WARN<sup>†</sup> PROVANTAGE

 Patented roller disc brake for outstanding control while winching. · Ergonomic clutch handle. Three-stage planetary gear train for smooth, efficient operation. · All-metal gear housing and gears.

#### WARN PROVANTAGE 2500-S WINCH

· Double-powder-coated hawse fairlead. • Pulling strength capability of 2,500 lb (1,134 kg). • 50 ft. of 3/16" (15.2 m of 4.8 mm) synthetic rope. • Mounting Plate (715000927) is required for G2S. · Wire Harness (715002453) is required for G2L. <u>G2, G2L, G2S</u> 715003472

· Fully sealed motor and drive train to keep the elements out. Corded remote and mini-rocker control switch with integrated socket. · Limited lifetime warranty for mechanical components and 3-year warranty for electrical components.

#### WARN PROVANTAGE 3000 WINCH

 Roller fairlead. • Pulling strength capability of 3,000 lb (1,361 kg). • 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable. • Mounting Plate (715000927) is required for G2S. · Wire Harness (715002453) is required for G2L. <u>G2, G2L, G2S</u> 715003474



#### OUTLANDER

## **CAN-AM TERRA BY SUPERWINCH<sup>†</sup>**

· Heavy-duty 4-way roller fairlead. • Ergonomic clutch handle. • Rugged all-steel gears and bushings, provides more torque and longer life.

• Automatic 100% load-holding brake. · Sealed solenoid for all weather protection. · Corded 10 ft. (3 m) weather sealed hand-held remote.

#### **CAN-AM TERRA 25 WINCH BY SUPERWINCH**

Pulling strength capability of 2,500 lb (1,134 kg).
50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable. G2. G2L





• Mounting Plate (715000927) is required for G2S. • Wire Harness (715002453) is required for G2L.

• EC compliant.

#### WARN PROVANTAGE 3500-S WINCH

- · Double-powder-coated hawse fairlead.
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 3/16" (15.2 m of 4.8 mm) synthetic rope.
- Mounting Plate (715000927) is required for G2S.
- Wire Harness (715002453) is required for G2L.

<u>G2, G2L, G2S</u> 715003473





· Weather sealed handlebar mounted switch. • EC compliant.

#### **CAN-AM TERRA 35 WINCH BY SUPERWINCH**

Pulling strength capability of 3,500 lb (1,588 kg).
50 ft. of 13/64" (15.2 m of 5.2 mm) wire steel cable. G2. G2L 715003476



(715004254) on Warn winches.

Warn winches

715004255

#### OUTLANDER RENEGADE WINCH ACCESSORIES KIT WARN HAWSE FAIRLEAD WINCH MOUNTING PLATE · Double-powder-coated construction. · Adds functionality to your Renegade. · Get the most out of your winch. • Fits Can-Am winches by Warn. Double your pulling power, Required to use the Synthetic Winch Cable change your pulling direction G2S · To be used with synthetic winch cables only. and keep your winch 715000927 in proper working order. Includes tree strans WARN snatch block, shackle and winching gloves. 715002409 **ROLLER FAIRLEAD** HOOK WITH SAFETY • Features top, bottom and side rollers LATCH & STRAP KIT for less cable wear and smoother operation · Heavy-duty winch-rope hook with from any direction for easier winching. stainless steel snap. 715000011 • Warn · Includes a nylon safety strap. 705204571 • Superwinch 715003523 **REPLACEMENT WIRE ROPE** SYNTHETIC WINCH CABLE · Play it safe, always carry a replacement wire rope. · Easier to manipulate than steel cable. • 3,500 lb (1,588 kg) pulling strength. · Replaces the original cable on any **ATV SuperWinch** factory installed Warn winch or sold as • 50 ft. of 7/32" (15.2 m of 5.5 mm) an accessory by BRP. · Kit includes synthetic rope and rock wire rope. guard sleeve. 705009321 · Always use with new hawse fairlead ATV Warn winches (715004255). • 50 ft. (15.2 m) aircraft grade steel wire. • 50 ft. (15.2 m). · 3/16" (4.8 mm) diameter • 3,500 lb (1,588 kg) pulling strength. 715000047 ATV Warn winches 715004254 WINCH WIRE HARDWARE HARNESS **ADAPTER KIT** (Not illustrated) (Not illustrated) • Required to install Warn Winch Kit · Required plug-and-go wiring to install Warn winch only. (715002500, 715002561, Not required for Can-Am 715002499) on 2016 and up models. Terra winch Required to install Can-Am Terra 25 Winch (715002167) <u>G2L</u> and Can-Am Terra 35 Winch 715002453 (715002057) on G2L 2017 and up models 715003477



#### MULTITRAILER

· Bogie wheels updated to be more silent than before and now equipped with grease nipples. · Product developed for heavy-duty use. · 100% galvanized steel. · Specifications: 12 mm polywood base, strong stand, movable attachment points (4 pc), tipping bed, removable sides and 4 pc timber holder. 619590024

· Underside of the bogie and frame designed to travel over stones and logs (no sharp edges). • Bed length: 182 cm · Bed width: 66 cm bottom / 95 cm top • Bed height: 60 cm • Weight: 200 kg with timber holders and sides

(Not illustrated) 619590398



European Version · Drawbar with 2" (50 mm) hitch ball. 705206761 (T Homologated)

#### **RUBBER RECEIVER PLUG**

· Rubber cap for 2" (5 cm) hitch receiver. 705204503



**REAR HITCH** · E-coat finish. • Fixed hitch ball mounting bracket. Provides fixed mounting point for trailer ball to provide vehicle with towing capabilities.

G2. G2L. G2S (except 6x6 models) 715001925



#### WIRELESS REMOTE CONTROL

 The system is guick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware. . The system allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options. · All components are weatherproof

Warn winches

715002542

#### WIRED REMOTE CONTROL

 This kit allows winch owners to add the hand-held remote to their winch. • EC compliant.

For ATVs with handlebar winch remote socket. 710002270

ATVs without the winch remote Socket Side panel Remote socket (715003651) is required. • EC compliant. 710001002 Superwinch winches 710004887

WARN REMOTE SOCKET

(Not illustrated) · Winch remote socket, located on side panel, is required for wired remote control. 715003651



#### Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

# MULTITRAILER 43



1.1

**SPARE WHEEL** + RIM (DURO) (Not illustrated) 619590119

101525001

TIMBER STICKS (2 PCS) (Not illustrated) 619590025

**TIMBER WALL** (Not illustrated) 619590026

#### TIMBER LOCKING SPRING

(Not illustrated) 619600007

# HITCHES



#### **FRONT RECEIVER HITCH**

- Front receiver hitch for Outlander with or without a winch.
- This hitch offers 1,300 lb (590 kg) of towing capacity. Allows you to maneuver your trailer easily in tight,
- confined areas.
- Hitch bar sold separately.
- Not compatible with Extreme Front Bumper and Rancher Bumper

<u>G2</u> 715000921



 This hitch offers 1,300 lb (590 kg) of towing capacity. Hitch ball not included.

#### **REAR RECEIVER HITCH**

· E-coat finish.

715005186

- Does not affect ground clearance.
- Trailer ball not included.
- On 4X4 use, this hitch offers 1,500 lb (680 kg) of towing capacity.
- On 6X6 use, this hitch offers 1654 lb (750 kg) of towing capacity.
- Compliant with European T
- regulations.



#### PERFORMANCE 44



#### OUTLANDER

715001930

#### **OUTLANDER RADIATOR RELOCATOR KIT**

· Relocates radiator to top mount position. · Prevents cooling performance loss in muddy conditions • Uses existing radiator. · Includes support, hardware and hoses. · Engineered for easy cooling system bleeding and maintenance. · Radiator not included. <u>G2, G2L</u>



#### X MR TRACTION PLATES

· Provide extra foot grip for driver when riding in extreme mud conditions. • Help driver to maintain ideal riding position to maximize vehicle traction. • Made of aluminum. • Not meant for a passenger

G2, G2L (MAX models only) 715001752 • Aluminum




#### **OUTLANDER SNORKEL KIT**

#### Comprehensive kit.

· Extended air intakes and CVT exhaust. CVT outlet integrates into pod cover. • Must be installed on a vehicle without XT handlebar protector kit. · Ideal for muddy conditions. • For 6x6, appropriate gauge support is required for best fit and finish. · Not compatible with windshields.

#### <u>G2 2015-2019 only (except 1000R and T category models), G2L</u> 715002392

<u>G2 (2012-2014 only)</u> 715001730



is required. 715002518

#### RENEGADE

#### **RENEGADE SNORKEL KIT**

· Comprehensive kit. · Extended air intakes and CVT exhaust. • CVT outlet integrates into pod cover. · Ideal for muddy conditions. <u>G2S 2015-2019 only (except 1000R</u> and T category models) 715001928

#### **ADAPTOR KIT**

(Not illustrated) • Necessary to install the G2S Snorkel Kit (715001928) on 2012 to 2014 models. G2S (for 2012-2014 models only) 715003122



#### OUTLANDER RENEGADE

#### **MUD STRAP**

• Convenient sturdy grab-handle. Lets drivers redistribute their weight for improved traction in demanding conditions. Not compatible with XT Handelbar Protector Kit (703100352). <u>G2, G2L, G2S</u> 715003053



Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.



FOOTPEG KIT Provides maximum integrated grip and more stability during vigorous riding. Kick-up end generates added grip during hard cornering. • Made of aluminum. • Sold in pairs. <u>G2, G2L</u> 715001131





#### **RENEGADE RADIATOR RELOCATOR KIT**

- Relocates radiator to top mount position.
- · Prevents cooling performance loss in muddy
- conditions. • Uses existing radiator.
- · Includes support, hardware and hoses.
- G2S
- 715001929

- Engineered for easy cooling system bleeding and maintenance.
- Radiator not included.
- Renegade Extreme Front Bumper (715002469) required for installation (except X mr).



#### **RADIATOR PROTECTOR**

· Metal shield which mounts over radiator face, providing protection from stones and branches.

G2, G2S (except G2S with 500 engine) 715001744





#### **YOSHIMURA SLIP-ON EXHAUST** CON-OTT

 Better sounding, better looking and lighter than stock muffler.

• Made from 304-grade stainless steel. • USDF/USDA approved spark arrester.

#### OUTLANDER

#### **YOSHIMURA SLIP-ON EXHAUST**

G2 2017 & prior (except 6x6 models) 715001738

#### G2 2018 & up (except 6x6 models) 715005480



Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

• NON EPA compliant (for racing application only). • Not EC compliant.

• Fuel injection system tuning not required. Does not fit T3 units

#### RENEGADE

#### **YOSHIMURA SLIP-ON EXHAUST**

G2S 2017 & prior (except 570 engine and X mr models) 715001739

G2S 2018 & up (except 570 engine and X mr models) 715005481



**FRONT SHOCK** COVERS • Feature ventilation holes. Offer added protection in

rough terrain and weather conditions. • Sold in pairs. G2, G2L, G2S 715500301



## **BY TWINAIR<sup>†</sup>**

by increasing air flow environments. <u>G2, G2S</u> 715001333



OUTLANDER RENEGADE



#### **FOX SHOCKS**

 Engineered for the more agressive riders. Offers increased bump absorption and better roll control. Offers a slightly firmer ride than standard kits but remains very useable for all-around use. Kit includes 4 shocks and springs. · Rebuildable. · Threaded preload adjusters. G2 2012-2018 (except X mr, XT-P, Limited & 6x6 models), G2 X mr 650 (2012-2018), G2S (Base model with 500 & 570 only), G2L & G2L MAX 715001471

FOX PERFORMANCE **SHOCKS 1.5 PODIUM** X RC2 HPG

EOX

 High-performance front and rear shocks. · Allow handling to readily adapt to terrain and riding style. Easy-adjust dual-speed compression, rebound and preload settings. • Standard on G2S X xc. G2 2012-2018 (except X mr, Limited & 6x6), G2 X mr 650 & G2S (Base model & <u>X mr 570 only)</u>

715003201

#### PERFORMANCE 47

#### **HEAVY-DUTY SPRINGS**

- · Heavy-duty springs provide enhanced stiffness.
- Perfect for snow clearing and hauling heavy loads.
- Improves handling and helps prevent accidental overturns.
- Sold in pairs.
- · Standard on Outlander Pro and Mossy Oak models.

<u>G2 2012-2018 (Base model, DPS,</u><u>G2 2012-2018 (Base model, DPS,</u> XT, X mr with 650 engine only & Limited), G2S (Base model with 500 & 570 engines only)

FRONT 715003199 XT & X mr with 650 engine only), G2S (Base model with 500 & 570 <u>engines only)</u> REAR 715003200



#### **EXTREME HEAVY DUTY REAR SPRING SET** FOR OUTLANDER G2

(Not illustrated) • E.g. for use with Forest Pro Log Trailer. 715001998





## **COVERS, DECALS & ADD-ONS**

#### **TRAILERING COVERS**

· Heavy-duty canvas made of UV-resistant solution-dyed polyester. . Inner soft liner protects windshield and colored panels from abrasion. All high-abrasion areas are reinforced with a double canvas laver. Opening for fuel cap access · Weather-resistant trailering cover protects your vehicle during transportation. · Quick and easy installation. · Designed to perfectly fit your vehicle with or without Can-Am accessories.

G2 (except MAX models) 715001737 G2 (MAX models only) 715001736 G2L (except MAX models) 715002026 G2L (MAX models only) 715002025 G2S (except X mr models) 715000683



#### **STORAGE COVERS**

• Weather-resistant storage cover. · For vehicle storage only. UV-resistant solution-dved polvester construction. • Quick and easy installation. · Designed to perfectly fit your vehicle with or without Can-Am accessories.

<u>G2 Xmr (except 1000R), G2L Xmr, G2S, G2</u>S Xmr 715001720

G2 MAX, G2L MAX, G2 Xmr 1000 715001668 G2L (except MAX models) 715001916 G2L (except MAX models) 715001597 • Mossy Oak **Break-Up Country Camo** G2L (MAX models only) 715001735 • Mossy Oak Break-Up Country Camo



#### **BOLT-ON<sup>†</sup> RETRACTABLE RATCHETING TIE-DOWNS**

· Perfect for transporting your powersport vehicle or securing loads. • Mounts easily: Bolts on any flat surface (e.g. truck bed or frame). • 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1500 lb (680 kg) break strength. Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place. • Rubber ratcheting handle provides firm grip, and the hook is vinyl coated

to protect whatever surface it hooks into. · Sold in pairs.

295100737

**CUP HOLDER** 

715000121

· Mounts easily to handlebars or racks.



#### · 400 lb (181 kg) safe working load. • 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos.

· Deluxe ratchet with rubber handle. · Coated S hooks. Pack of 2. 860200447 • Black/Grev

**RATCHET TIE-DOWNS** 



(715000127). 715000277 • Yellow

FLAG

Make sure everyone

Perfect for the dunes

• 8-foot (2.4 m) length.

Includes flag mount

and new riders.

knows what you're riding.

**FLAG MOUNT** 715000127

> DECAL • 6" x 12 3/4" (15 cm x 32 cm). 704901483



can-am

# APACHE **TRACK SYSTEM TAKE ON THE TOUGHEST CONDITIONS, YEAR ROUND.**

Highly engineered track system provides ultimate traction in harsh conditions for your Can-Am vehicle.

Heavy-duty components ensure reliability and the design offers excellent acceleration, turning, braking and side-hilling performance.

	MODEL	TRACK MOUNT KIT	TRACK DPS MODULE*	TRACKS
	G2, G2S 2018 & prior, G2L	715004829	715005243	
APACHE 360	G2, G2S 2019	715004795	1000R models: 715004707 Everything else: 715005243	715005240
	G2, G2S 2018 & prior, G2L	715004829 PLUS: 715003063 (adaptor)	715005243	715003064
APACHE 360 LT	G2, G2S 2019	715004795 PLUS: 715003063 (adaptor)	1000R models: 715004707 Everything else: 715005243	715005103
	G2 6x6 models 2018 & prior	715004991	715005243	715005104
	G2 6x6 models 2019	715005105	/15005245	/15005104
APACHE	G2, G2S 2018 & prior, G2L	715004830	715005243	
BACKCOUNTRY	G2, G2S 2019	715004796	1000R models: 715004707 Everything else: 715005243	715003042

\*Track DPS module not sold in Europe

· Protects your fuel. • Meets EPA requirements. <u>G2, G2L, G2S</u> 860200387 • Black 619590085 • (for Scandinavia)

LOCKABLE GAS TANK CAP





Mounts to rear of vehicle.

G2L

715002498

LICENSE PLATE BRACKET

· Provides specific area to install license plate.

G2S

715001401




# **TRACK SYSTEMS**

49

An innovative DPS module ensures speedometer accuracy and optimized steering assist for use with tracks, which make for perfect control and riding ease.

## **APACHE BACKCOUNTRY TRACK SYSTEM**



#### OUTLANDER RENEGADE

#### **APACHE<sup>™</sup> BACKCOUNTRY TRACK SYSTEM**

• Designed to deliver the best flotation level and deep-snow performance on the market. • Contact patch is 23% bigger than the Apache 360 LT. • Impressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow. • Aggressive track design with 2" (5 cm) lug height for maximum traction on snow. · Apache Backcountry Mounting Kit and engine and CVT air intake pre-filters are required. · For winter use only.

G2 (except 6x6 models), G2S, G2L 715003042

#### **APACHE BACKCOUNTRY MOUNTING KIT**

(Not illustrated) Required for installation of the Apache Backcountry Track System. · DPS module and pre-filter are required and sold separately. 9, G2S 2019

<u>G2 2018 &amp; prior, G2S 2018 &amp; prior, G2L</u>	<u>G2 2019, G2</u>
715004830	715004796

## WINTER TRACKS

Can-Am's new APACHE BACKCOUNTRY TRACK SYSTEM is the perfect fusion of BRP's renowned snowmobile and innovative Apache 360 Track System technologies. It delivers the highest ground clearance, the most flotation. and the best deep-snow performance of any ATV track kit on the market today. Period. An efficient frame and rail design ensures weight is spread evenly on snow so you always enjoy higher traction, remarkable acceleration, turning, braking and side-hilling. And it's the only kit available with a 13.5" X 96" (34 cm x 244 cm) front track / 14" X 138" (36 cm x 351 cm) rear track, which adds up to the largest contact patch anywhere.

#### **IDLER WHEEL KIT**

• Reduces drag and rolling resistance. · Includes 2 wheels, brackets and hardware. • Add up to 2 kits per rear track. · Can extend slider life in hardened snow conditions. Apache Backcountry Track System (rear tracks only) 860201230 • 141 mm



#### SLIDERS WITH VESPEL<sup>†</sup> INSERTS

- Use DuPont Vespel inserts for less friction. · Longer life. · Can be cut to desired length.
- 8 needed per vehicle.

Sold individually.

Apache Backcountry Track System 503194815





**APACHE 360 LT** 

**TRACK SYSTEM** 

Rubber over molded heavy-duty double bearing wheels and offset wheel spacing reduce friction and vibration while ensuring reliabilitu

**Total ground surface** area: 2079.7 in<sup>2</sup>

Added ground clearance of 4.5" [11.4 cm]

(2)

Unique adjustable contact patch sustem to tackle the toughest uear-round conditions

riding conditions.

715003483

· Helps keep air filter cleaner.

· Easy, tool-less installation.

when tracks are installed.

1000R engines & G2L PRO.

Necessary to maintain vehicle warranty

• Standard on Outlander 650, 850. 1000.

#### **AIR INTAKE PRE-FILTER**

 Adds extra protection for your engine in harsh riding conditions. · Filter blocks particles larger than 0.005". Necessary to maintain vehicle warranty when tracks are installed. G2, G2L, G2S 715004729





TRACK DPS MODULE

(Not illustrated) · An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease. · Required to install the Apache Track Systems. Not sold in Europe

G2 2018 & prior, G2 2019 (except 1000R models), G2S 2018 & prior, G2S 2019 (except 1000R models), G2L, 6x6 715005243

G2 2019 (1000R models), G2S 2019 (1000R models) 715004707





**CVT AIR INTAKE PRE-FILTER** Adds extra protection to your engine in harsh

• Filter blocks particles larger than 0.007" (0.19 mm).

## YEAR-ROUND TRACKS

The 360 LT AND APACHE 360 TRACK SYSTEMS offer a unique adjustable contact patch designed to take on the toughest year-round conditions. Their built-in versatility lets you optimize attack angle for rough terrain or deep-snow operation. Ideal in softer spring thaw conditions, they deliver enhanced ground adhesion, making them a favorite for navigating swamps and bogs.

#### **APACHE 360 LT TRACK SYSTEM**

- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am off-road vehicles
- · Extra contact patch adjustment for better performance over rough terrain. • Contact patch is 7 to 9% bigger than the Apache 360's.
- Average ground clearance increase of 4.5" (11.44 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Apache 360 and 360 LT Mounting Kit and engine and CVT air intake pre-filters are required

G2 (except 6x6 models), G2S 2019 715005103

G2, G2S 2018 & prior (except 6x6 models), G2L 715003064

#### **APACHE 360 TRACK SYSTEM**

- Multifunctional tracks perfect for any Can-Am ATV.
- Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Apache 360 & 360 LT Mounting Kit and engine and CVT air intake pre-filters are required.

G2 (except 6x6 models), G2L, G2S 715005240

#### APACHE 360 & 360 LT MOUNTING KIT

(Not illustrated)

- Required to install Apache 360 & 360 LT Track Systems.
- Requires Apache 360 LT ATV Adaptor (715003063) for installation of the Apache 360 LT Track System.
- DPS module and Pre-Filter not included.

G2 2018 & prior (except 6x6 models),

G2S 2018 & prior, G2L 715004829

G2 2019 (except 6x6 models), <u>G2S 2019</u> 715004795

#### **APACHE 360 LT ADAPTOR**

(Not illustrated)

- Required to install an Apache 360 LT Track System.
- Apache 360 and 360 LT Mounting Kit also required.
- G2 (except 6x6 models), G2S, G2L 715003063



#### WINTER PRO V2

• With the Winter Pro snowblower, winter house chores become fast and easy. • Winter Pro is designed and built for Scandinavian conditions, and it boasts several innovative features that will make your life easier.

. The Easy Connect Pro link system makes attaching your ATV onto the snowblower child's play. All you need is a trailer hitch on your ATV. • The electric starter, joystick to steer the chute, dual stage auger, and work light

(sold as a separate accessory) elevate this snowblower to a professional grade winter-time tool.  $\boldsymbol{\cdot}$  The scraper bar height is easily adjustable with the help of the skid shoes.

· Also, the bar is fastened onto a boxed steel construction, thus adding to the snowblower's overall rigidity

• The 24hp Honda V2 engine is engineered and crafted to withstand the toughest Nordic conditions.

619590291



WINTER PRO WIDENING KIT (Not illustrated) 619590127

WINTER PRO DRIFT

**CUTTER KIT** (Not illustrated) 619590124

> WINTER PRO **HEADLIGHT KIT** (Not illustrated) 619590130

WINTER PRO GAS **TANK KIT** (Not illustrated) 619590126

SHEAR BOLTS (Not illustrated) • (1 pack/10 pcs) 619590146 • For auger

619590148 • For fan

#### **FLEXEL TYRE WITH RIM - UNBREAKABLE**

(Not illustrated) 619590192

WINTER PRO SUBFRAME EXTENSION (Not illustrated) 619590128

WINTER PRO OIL FILTER (Not illustrated) • For Honda motors.

619590335

# PLOWS **CAN-AM** PROMOUNT PLOWS ARE COMPETITIVE, RUGGED AND EFFECTIVE

The all-new Can-Am ProMount Plow Kits are here to take on winter. Whether it's a large commercial lot or a short driveway, this is how to get the job done right. Better, simpler, and with the same Can-Am reliability and durability you expect.

# **NEW CAN-AM PROMOUNT PLOW SYSTEM**

#### OUTLANDER RENEGADE

#### CAN-AM PROMOUNT FLEX2 60" (152 CM) PLOW KIT

G2, G2S, G2L 715005202 • Black



**KIT INCLUDES:** · Can-Am ProMount Flex2 60" (152 cm) Blade 715004203 · Black

· Can-Am Promount Push Frame Can-Am ProMount Mounting Plate with Quick-Attach System 715004338 Also sold individually on p.56 Also sold individually on p.56

#### ALSO SOLD INDIVIDUALLY:

#### CAN-AM PROMOUNT FLEX2 60" (152 CM) BLADE

 Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs. · Blade swivels left or right, 5 positions. Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point. 715004203 • Black

 Blade design provides best snow/dirt roll-off at any angle. · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility · Clears 54" (137 cm) when plow is fully angled. Blade height of 17" (43 cm)



#### CAN-AM PROMOUNT STEEL 54" (137 CM) PLOW KIT

715004339

G2, G2L, G2S 715005200 • Black 715005428 • Yellow



#### **KIT INCLUDES:**

715005316 · Yellow

· Can-Am ProMount Steel 54" (137 cm) Blade 715004472 · Black

· Can-Am Promount Push Frame with Quick-Attach System 715004339 Also sold individually on p.56

· Can-Am ProMount Mounting Plate 715004338 Also sold individually on p.56

#### ALSO SOLD INDIVIDUALLY:

715005316 • Yellow

#### CAN-AM PROMOUNT STEEL 54" (137 CM) BLADE

• Plow blade made from 12-gauge steel. · Replaceable wear blade. · Blade swivels left or right, 5 positions. · Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point. · Blade design provides best snow/dirt roll-off at any angle. 715004472 • Black

 Not compatible with ProMount Drift Cutters and Blades Extensions. Clears 50" (127 cm) when plow is fully angled. • Blade height of 14.75" (37 cm).





#### OUTLANDER RENEGADE

#### CAN-AM PROMOUNT STEEL 60" (152 CM) PLOW KIT

<u>G2, G2S, G2L</u> 715005201 • Black 715005434 • Yellow



**KIT INCLUDES:** · Can-Am ProMount Steel 60" (152 cm) Blade 715004202 · Black 715005317 · Yellow

· Can-Am Promount Push Frame with Quick-Attach System 715004339 Also sold individually on p.56

· Can-Am ProMount Mounting Plate 715004338 Also sold individually on p.56

#### CAN-AM PROMOUNT STEEL 66" (168 CM) PLOW KIT

G2, G2L, G2S 715005427 • Black 715005435 • Yellow



**KIT INCLUDES:** · Can-Am ProMount Steel 66" (168 cm) Blade 715004473 · Black 715005318 · Yellow

· Can-Am Promount Push Frame with Quick-Attach System 715004339 Also sold individually on p.56

 Can-Am ProMount Mounting Plate 715004338 Also sold individually on p.56

Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

#### THERE'S A PLOW FOR EVERY TYPE OF USER AND EVERY TYPE OF USE.

- > Flexible and built to last, the Can-Am ProMount Flex2 Blade is the perfect solution for driveways, storefronts and any area that needs clearing quickly and efficiently.
- > Those looking for a range of widths will appreciate the no-nonsense practicality of our Can-Am ProMount Steel Blades. Each is designed to put competing plows to shame and both are every bit as tough as the road is long.

#### ALSO SOLD INDIVIDUALLY: CAN-AM PROMOUNT STEEL 60" (152 CM) BLADE

• Plow blade made from 12-gauge steel.

- · Replaceable wear blade.
- · Blade swivels left or right, 5 positions.
- Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.
- Blade design provides best snow/dirt roll-off at any angle.



- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).



#### ALSO SOLD INDIVIDUALLY: CAN-AM PROMOUNT STEEL 66" (168 CM) BLADE

- Plow blade made from 12-gauge steel. · Replaceable wear blade.
- · Blade swivels left or right, 5 positions.
- Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.
- · Blade design provides best snow/dirt roll-off at any angle.



- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 60" (152 cm) when plow is fully angled.
- · Blade height of 17" (43 cm).





#### OUTLANDER RENEGADE



## **NEW** CAN-AM PROMOUNT MOUNTING PLATE & PUSH FRAME

The all-new **Universal Push Frame and Plow Mounting Kit** offers seamless compatibility between our next-generation plastic and steel blades and our ATV models.

#### **CAN-AM PROMOUNT** MOUNTING PLATE

 Required to install the Can-Am ProMount Push Frame with Quick-Attach System. Mounting plate precision-designed to stay on year round without compromising ground clearance. <u>G2, G2L, G2S</u> 715004338

#### **CAN-AM PROMOUNT PUSH FRAME** WITH OUICK-ATTACH SYSTEM

· Heavy-duty steel tubes designed to withstand the roughest use. Mid-mount carriage provides ultimate push strength and traction. • Allows 14" (36 cm) of plow lift. • Features a self aligning quick-attach system, an easy foot release

pedal and an ergonomic handle for plow angle adjustment. • Compatible with all Can-Am ProMount Blades. Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan. Can-Am ProMount Mounting Plate required for installation. <u>G2, G2L, G2S</u>

715004339



#### **CAN-AM PROMOUNT** PUSH FRAME EXTENSION · 12" (30 cm) push frame extension

required when plow is installed with Apache Track systems. <u>G2, G2L, G2S</u> 715004204



#### **PLOW ACCESSORIES**

OUTLANDER RENEGADE

#### NEW CAN-AM PROMOUNT EDGE MARKERS

• Help locate the edges of your plow. • Height: 24" (60 cm). · Sold in pairs. <u>G2, G2L, G2S</u> 715004206

#### **CAN-AM PROMOUNT DRIFT CUTTERS**

• Help keep snow in the plow. • Dimensions: 17" x 13" (43.2 cm x 33 cm). · Sold in pairs. Compatible with Can-Am ProMount Blades with or without blade extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades). G2, G2L, G2S




#### **NEW PLOW LIMIT SWITCH**


(Not illustrated) • For controlling the cable tension when over raising your plow system. • Prevents winch, plow push frame and vehicle damage. <u>G2, G2L, G2S</u> 715004775

#### SYNTHETIC WINCH CABLE FOR PLOWING

· Specially designed for plowing applications.  $\cdot$  8' (2.4 m) section of durable, extra-strong synthetic rope. Stands up to repeated, sharp angle pulls used to lift heavy plow blades. Temporarily replace your winch rope for plow season to save wear and tear on wire rope. 715000540







#### **OUTLANDER 6X6 ACCESSORIES** 58

**QUICKLY & SAFELY CONVERT YOUR BED** TO HAUL TIMBER **FROM THE BUSH** 

**HIGHLY ENGINEERED APACHE 360 LT TRACK SYSTEM** PROVIDES ULTIMATE TRACTION IN HARSH CONDITIONS FOR YOUR OUTLANDER 6X6

#### **APACHE 360 LT TRACK SYSTEM**

· Exclusively for the Outlander 6x6. • Cross obstacles up to 12" (30 cm) high. • Reliable heavy-duty build. G2 (6x6 models only)

 Enjoy superior acceleration, turning, braking, and side-hilling. · Can-Am designed technology.

 Switch easily between enhanced attack 
 For winter use only. angle or improved flotation. • EC compliant.



**NEW APACHE 360 LT MOUNTING KIT** (Not illustrated) • Required for installation of the Apache 360 LT Track System.

• Track DPS module and Pre-Filter not included. G2 (6x6 models 2018 & prior) 715004991 G2 (6x6 models 2019)

TRACK DPS MODULE

for perfect track control and riding ease.

• Required to install the Apache Track Sytems.

 Innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make

715005105

(Not illustrated)

• Not sold in Europe.

G2 (6x6 models only) 715005243

LOG BARS

· Log bars allow you to convert the cargo bed into a perfect transport space for 4' (120 cm) timber. • The driver's safety is guaranteed by the protective front screen. G2 (6x6 models only) 715002486 • Latin America/Asia Pacific 715001987 · Europe

#### HARD TOP

715002394 • Europe

• The hard top provides a 116 Gal (440L) cargo box. Locking secures your belongings. G2 (6x6 models only)



SIDE WALLS AND TAIL GATE Allows for a quick and easy conversion

of room. Rotationally molded walls provide extreme durability for hard work - in all conditions.

G2 (6x6 models only) 715002868 • Latin America/Asia Pacific 715005153 • Europe

#### OUTLANDER 6X6 ACCESSORIES 59



• The cover raises assisted by gas cylinders.

715002490 • Latin America/Asia Pacific



of the cargo bed into a trunk with plenty

#### **60 OUTLANDER 6X6 ACCESSORIES**

#### LIRR

#### TAILGATE EXTENSION/DIVIDER

The sturdy tailgate extension provides a 10" (25 cm) extension to the cargo space.
Thanks to the longer cargo bed, even large loads pose no problem.
With the help of LinQ quick locks, the extension also acts as a solid space divider for the cargo bed.

#### <u>G2 (6x6 models only)</u> 715002488 • Latin America/Asia Pacific 715002017 • Europe



#### TARPAULIN

Fitted to cover all of the items in your cargo box thoroughly.
 Prevents splash from entering cargo box.
 Easily removable for quick access.

<u>G2 (6x6 models only)</u> 715002491 • Latin America/Asia Pacific 715002416 • Europe



#### 18 GAL (70L) UTILITY BOX

Wherever you go and whatever you do, this handy 18 Gal (70L) utility box is your mobile storage.
The lid keeps your equipment safe from the elements in all conditions.
Slides under the flatbed with handles for easy access.

<u>G2 (6x6 models only)</u> 715002487 • Latin America/Asia Pacific 715001999 • Europe



#### FLATBED PROTECTION TUBES

Bolt-on bumpers for the sides of the 6x6 flatbed.
Protects the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.

<u>G2 (6x6 models only)</u> 715002489 • Latin America/Asia Pacific 715002030 • Europe

**CARGO BOX NET** 

G2 (6x6 models only)

715001371

Solid net designed to hook to the bottom of the cargo

box for secure and compact confinement of your cargo.



#### TAILGATE LIMITER KIT

 2 L-shape brackets that hold the tailgate open horizontally.
 Keeps tailgate flush with the rest of the flatbed for longer oversized cargo.
 C2 (EXE end to a set the set to a set to

<u>G2 (6x6 models only)</u> 715002534 • Latin America/Asia Pacific 715002080 • Europe



#### STORAGE COVER

(Not illustrated) • For storage use only. • Heavy-duty elastic cord around bottom for secure fit.

<u>G2 (6x6 models only)</u> 715002492 - Latin America/Asia Pacific 715002415 - Europe 100-denier polyester construction.
Fits with or without windshield and mirrors.





#### FULL BODY SKID PLATE

A full body plastic skid plate
 (10 mm HDPE) designed to protect
 the frame and the engine case
 from rough terrain conditions.
 The plastic allows your ATV to slide
 easily over stumps and logs.
 <u>62 (6x6 models only)
 715002485 - Latin America/ Asia Pacific
 715003646 - Europe
</u>



#### **REAR WINCH KIT**

The remote-controlled rear winch is a godsend when you want to pull yourself out of a tough spot or move heavy loads.
Includes a fully-sealed Warn winch and all wiring and hardware needed for an easy and quick installation.
Pulling strength capability of 3,000 lb (1,361 kg).
50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable.
<u>62 (6x6 models only)</u>

715002484 • Latin America/Asia Pacific 715002067 • Europe



#### OUTLANDER 6X6 ACCESSORIES 61

#### ENGINEERED TO PROTECT & PRESERVE VEHICLE FRAME, ENGINE & DRIVETRAIN

#### **DRIVER BACKREST**

- Provides the rider's back with that extra support that makes riding that extra mile way more comfortable.
- Adjusts horizontally to match the driver's height and preference.
- Mounts and locks in firmly onto the vehicle.

<u>G2 (6x6 only)</u> 715003611





#### **ITP TERRACROSS TIRE**

 This smooth-riding tire will command every bit of traction from the ground while still managing to float across loose snow, sand and mud.

 Features extreme-duty construction for improved puncture protection, extra-tough rubber compound for increased tread life, and the interlocking tread pattern and wide footprint make it one of the toughest and grippiest radials around. · Not EC compliant.

<u>G2 XTP, G2 Limited</u> Front • 26" x 8" x 14" Rear • 26" x 10" x 14" 705401906 705502421

**GROUND-GRIPPING** TRACTION MEETS LOOSE MUD MANEUVERABILITY. THE TOUGH TIRE WITH THE SMOOTH RIDE.

#### **CARLISLE ACT TIRE**

<u>G2 (400 XT</u>

Front

Rear

models only)

25" x 8" x 12"

705400326 ⋅ C€

25" x 11" x 12"

705500598 ⋅ C €

Rear - 20" x 10" x 9"

705500787

705500933

705400606

<u>G2 (500-1000 XT</u> models only) Front 26" x 8" x 12" 705401333 705401334 · CE Rear 26" x 10" x 12" 705501769 705501770 · C€

**ITP HOLESHOT SR TIRE** 

DS 450

705400432

Front - 21" x 7" x 10"

**CARLISLE ACT HD TIRE** 

Front 26" x 8" x 12" 705401736 Rear 26" x 10" x 12" 705502297

27"

Front

Rear



Rear

#### **ITP CRYPTID TIRE**

 Graduated lug height and paddle-like shoulder configuration provide maximum side bite for climbing in and out of the mud without compromising ride comfort on trails and hard pack. • 6-ply rated. • 30" x 9" x 14".

<u>G2 X mr 850 & 1000R 2018 & up, G2S X mr 1000R 2018 & up</u> 705402178 • 30" x 9" x 14"

**GORILLA SILVERBACK TIRE** 

• AT30X9-14 Gorilla Silverback mud tire.

· Sold individually.

• Not EC compliant.

30" x 9" x 14"

705400962

<u>G2 (850 & 1000 models only)</u>



#### **NEW ITP MEGA MAYHEM**

• 1.5" tread depth mud thrower tires. · Surprisingly smooth ride on hard pack surfaces. • 6-ply rated. <u>G2 X mr 570 & 650 2018 & up, G2S X mr 570 2018 & up</u> Front - 28" x 9" x 12" 705402131

Rear - 28" x 11" x 12" 705502645



MAXXIS MUDZILLA TIRE • Not EC compliant G2 (X mr 570 & 650 models only) Front 28" x 8" x 12" 705401391 Rear 28" x 10" x 12" 705501836

#### **ZILLA TIRE BY MAXXIS\***

 Sold individually. Front 27" x 10" x 14" 705401302 Rear 27" x 12" x 14" 705501703





28"

Front

619590209 619590210 619590033 619590032

**ITP OUADCROSS MX PRO TIRE** 

DS 450 X mx Front - 20" x 6" x 10" 705400765 Rear - 18" x 10" x 8" 705501106



\*Consult your operator's guide/owner's manual for proper tire type and rim sizing. Improper tire type and rim selection may affect vehicle handling. Check with your local authorities for proper regulation. Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

\*Consult your operator's guide/owner's manual for proper tire type and rim sizing. Improper tire type and rim selection may affect vehicle handling. Check with your local authorities for proper regulation.

#### **CARLISLE BADLANDS A/R TIRE**

G2 (500-1000 Base models only) Front 26" x 8" x 12" 705401331 705401332 · CE Rear 26" x 10" x 12" 705501767 705501768·C€

#### **HIGHWAY TIRES**

• Maxxis 28". · Rims sold separately. Front - 185/88 - 12 40N/TL 619590011

Rear - 270/60 - 12 50N/TL 619590012



Fits: DS 450 X xc Front - 21" x 7" x 10" 705400650 Rear - 20" x 10" x 9" 705500989











#### **CARLISLE TRAIL WOLF TIRE**

**KENDA KLAW MXR TIRE** 

<u>DS 90 X</u>

Front - 20" x 6" x 10"

Rear - 18" x 10.5" x 8"

RIMS

V42711DGF01HLL

V42712DGF01HLL

#### G2 (400 Base models only)

Front 25" x 8" x 12" 705401625 705400607·C€ Rear 25" x 11" x 12" 705502164 705502165·C€



#### **ITP HOLESHOT ATR TIRE** <u>G2S</u> Front 205/80R12 25" x 8" x 12" 705400600 705400475 · C€ Rear 270/60R12 25" x 10" x 12" 705500926 705500820 · C€

**REAR TIRE CHAINS** 

• Sold in pairs.

26" x 10" x 12"

25" x 11" x 12"

25" x 10" x 12"

26"x 9" x 12" 27" x 9" x 14" 715000225

14" RIM

715500218

· Improve your traction in mud and snow

#### **DURO THRASHER TIRE**

<u>DS 90/70</u> Front - 19" x 7" x 8" V42711DGF000LL Rear - 18" x 9.5" x 8" V42712DGF010LL

#### **KENDA KNARLY TIRE**

<u>DS 250</u> Front - 22" x 7" x 10" S44710RCA000

Rear - 20" x 11" x 9" \$42710RCA000



· Premium cast aluminum black painted with machining and clear coat rim. Center hole: 72 mm Bolt circle pattern: 4/136 mm

G2 DPS, G2 XT, G2 MAX 650, G2 MAX XT, G2 MAX Limited

Front - 14" x 6.5" offset = 40 mm 705401853 • Black and machined 705401852 • Black with clear coat 705401851 • Silver with clear coat Rear - 14" x 8.5" offset = 50 mm 705502402 • Black and machined 705502401 • Black with clear coat 705502400 • Silver with clear coat



Note: Matching Nuts - 250100100 Black, 250100082 Chrome / Matching Cap - 705400928

#### **NEW 14" RIM**

G2 DPS, G2 XT, G2 MAX Limited, G2 Winter, G2 MAX Winter Front - 14" x 6.5" offset = 40 mm 705402309 • Black and machined 705402222 • Black with clear coat 705402307 • Silver with clear coat

Rear - 14" x 8.5" offset = 50 mm 705502770 • Black and machined 705502702 • Back with clear coat 705502768 • Silver with clear coat



#### **OUTLANDER X MR RIM**

· Cast aluminum rim with trend setting explosive styling so you can ride and look - like a trailblazer. • Front: 14" x 6.5" offset = 10 mm. ATV (X mr models front and rear wheels) 705401848 • Black and machined 705401849 • Black



Note: Matching Nuts - 250100100 Black, 250100082 Chrome / Matching Cap - 705401541

#### **OUTLANDER RIM**

(CAMO MODEL) Black with clear coat aluminum rim <u>G2, G2L, G2S</u> Front - 12" x 6" offset = 41 mm 705401127 • Black with clear coat Rear - 12" x 7.5" offset = 51 mm 705501493 • Black with clear coat



#### 12" BEADLOCK RIM

· Black with clear coat aluminum rim. · Needs 16 bolts (250000435) for installing the beadlock. · Choice of beadlock color (not included). <u>G2, G2L, G2S</u> Front - 12" x 6" offset = 41 mm 705401678 · Black

Rear - 12" x 7.5" offset = 51 mm 705502244 • Black

12" BEADLOCK

 Cast aluminum beadlock. Must be installed on Front Rim (705401678) and Rear Rim (705502244). <u>G2, G2L, G2S</u> 705401763 • Can-Am Red 705401156 • Yellow 705401533 • Orange Crush 705401812 • Manta Green



Note: Matching Nuts - 250100100 / Matching Cap 705400928

\*Consult your operator's guide/owner's manual for proper tire type and rim sizing. Improper tire type and rim selection may affect vehicle handling. Check with your local authorities for proper regulation.

Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.



#### **OUTLANDER X MR RIM -**ITP-SS212\*

- Black with machining and clear coat rim.
- Matching Cap (705400963), Matching
- Nuts (250100100). Sold individually.

G2 (X mr models only) Front & Rear - 14" x 6" 705400877 • Black and machined



#### LOCKOUT 393 14" RIM BY VISION\*

· Sold individually. • Matching Cap (705401362), Matching Nuts (250100100)

Front - 14" x 7" Bolt circle pattern: 4/136 mm Wheel offset: 4 + 3 705401363

Rear - 14" x 8" Bolt circle pattern: 4/136 mm Wheel offset: 4 -705501787



#### 14" BEADLOCK RIM

- · Black with clear coat aluminum rim.
- · Choice of beadlock color (not included).
- Needs 16 bolts (250000435) for installing the beadlock.
- G2

Front - 14" x 6.5" offset = 41 mm 705401594

Rear- 14" x 8" offset = 51 mm 705502146

#### 14" BEADLOCK

- Cast aluminum beadlock. Must be installed on Front Rim
- (705401594) and Rear Rim (705502146). G2
- 705401586 Manta Green 705401702 • Octane Blue 705401837 • Can-Am Red 705401840 • Black



Note: Matching Nuts - 250100100 / Matching Cap 705400928

#### **REMEMBER WHAT MADE YOU FALL FOR A CAN-AM VEHICLE?**

Precisely engineered. Rigorously tested. Factory approved. The ultimate off-road experience continues with the Genuine Can-Am parts.

# PARTS THAT SET THE STANDARD

### **2 YEARS WARRANTY ON ALL GENUINE CAN-AM PARTS**

#### **REGULAR MAINTENANCE ENSURES YOUR OUTLANDER** PERFORMANCE STAYS AT ITS PEAK.

#### **KEEP AN EYE ON** THESE COMPONENTS'

- **OIL FILTER** 420256188 **ENGINE OIL SEE P.86**
- **FUEL FILTER** 709000330
- 4 AIR FILTER 707800371
- 5 CVT INTAKE FILTER 707001130
- DRIVE BELTS SEE P.82
- BRAKE PADS SEE P.82
- BOOT KITS SEE P.82
- WHEEL BEARINGS 293350118
- 10 A-ARM BUSHINGS 703500875
- BALL JOINTS 706202044/706202045
- SPARK PLUG 715900352/707000246 13 BATTERY SEE P.82

\*Refer to periodic maintenance chart for proper intervals



**OIL FILTER** 420256188 420256455 • Fits DS450



**O-RING (DRAIN PLUG)** (Not illustrated) 420552280

**O-RING (OIL FILTER COVER)** (Not illustrated) 420230920

#### COMPLETE OIL CHANGE KIT ALSO AVAILABLE—SEE PAGE 88

**SPARK PLUG**  Ask your authorized Can-Am dealer which one fits your vehicle. 715900352 • 500, 570, 650 Engines 707000246 • All except 500, 570, 650



#### VISIT THE CAN-AMOFFROAD.COM PARTS & MAINTENANCE SECTION TO SEE THE FULL LINE OF GENUINE CAN-AM PARTS.

Note: Please contact your dealer or visit our online store at can-amoffroad.com for suggested retail prices regarding Genuine Can-Am Parts.

**EGULAR MAINTENA** ENSURES YOUR **PERFORMANCE STAYS** AT ITS PEAK.

#### **KEEP AN EYE ON** THESE COMPONENTS\*

- 1 OIL FILTER 420256188
- **ENGINE OIL SEE P.86**
- **FUEL FILTER** 709000330
- **AIR FILTER 707800371**
- CVT INTAKE FILTER 707001786
- DRIVE BELTS SEE P.82
- BRAKE PADS SEE P.82
- BOOT KITS SEE P.82
- 9 WHEEL BEARINGS 293350118
- 10 A-ARM BUSHINGS 203500825
- 11 BALL JOINTS 706202044/706202045
- 12 SPARK PLUG 715900352/707000246
- 13 BATTERY SEE P.82

\*Refer to periodic maintenance chart for proper intervals.

# **GENUINE CAN-AM MAINTENANCE PARTS**

#### **AIR FILTERS**

- · Prevent airborne contaminants from reaching your engine.
- Protect internal components against premature wear.
- · Genuine BRP air filters ensure absolute compatibility and a perfect fit.
- 707800371 Premium Air Filter
- 715001333 Performance Air Filter by Twin Air



**FUEL FILTER** (Not illustrated) 709000330

**CVT INTAKE FILTER** (Not illustrated) 701001130 • Outlander 707001786 • Renegade

#### **SEE OIL & MAINTENANCE PRODUCTS AT PAGE 86**

## **GENUINE CAN-AM REPLACEMENT PARTS**

#### **PREMIUM DRIVE BELT**

· Premium drive belt calibrated to maximize your vehicle's performance. Aramid tensile cords used in construction for extra long life and dependability · Built with distinctive durability features for off-road riding.

715900024 - 450CC & less. 715900023 - Traxter



#### PERFORMANCE DRIVE BELT (100% PBO)

 High-performance belt technology designed for side-by-side usage, but compatible on ATVs for most drivers. • 100% cutting-edge PBO high-tensile strength polymer fiber construction. Designed for high-temperature robustness and prolonged durability. 422280364

G2L (Outlander

420630292

& Outlander MAX 450)

#### PULLER/LOCKING TOOL/ DRIVEN ADAPTOR

(Not illustrated) · Spreads the secondary clutch open for easy belt replacement. Locks engine at TDC for maintenance tasks. 529036098

#### METALLIC BRAKE PAD KIT Built strong to last longer. Heavy-duty construction stands up to hard braking Designed to handle demanding riding conditions with challenging braking environments such as mud and sand.

· Created specifically for use with Can-Am ATVs. Contact your authorized dealer or visit our online store at can-amoffroad.com 705600350 • Front Right 705600349 • Front Left 705600398 • Rear Left

Outlander X mr, MAX X-TP, MAX XT, MAX PRO, MAX Limited, Renegade X xc (2012) 715900248 • Front and Rear Right 715900249 • Front Left



#### YUASA<sup>†</sup> BATTERIES

Outlander

<u>2004-2012</u>

18 Amps. Wet

(YTX20L-BS)

410301203

• Top of the line models from the leading preferred original equipment battery supplier in North America Renegade &

Traxter & Quest DS (250, 1999-2006 90,70,50) 19 Amps. Drv 13 Amps. Wet (YB16CL-B) (YTX15L-BS) 278001756 710000283



**ORGANIC BRAKE PAD KIT** 

efficiency, a great feel, and low noise.

online store at can-amoffroad.com

705601014 • Front and Rear Right

Contact your authorized dealer or visit our

for dry conditions

Chosen as the standard OEM on Can-Am ATVs

Provides excellent braking capacity with optimal

705601015 • Front Left & Rear Left (Renegade only)

#### **PREMIUM HALF SHAFT**

· Premium quality design ideal for off-road use. Includes CVs, Shaft and Boots with the best suited <u>Rear Left</u> 705501485 • All models (except X mr) **Rear Right** 705501486 • All models (except X mr) 705401116 • All models (except X mr, Engine 570)

#### **PERFORMANCE HALF SHAFT**

· High-performance design ideal for off-road use with superior protection in mud riding. Includes CVs. Shaft and Boots with the best suited geometry for your Can-Am vehicle. X mr models

705401704 • Front Left 705401703 • Front Right 705501848 • Rear Right 705501847 • Rear Left



#### BALL JOINTS • Robust design for off-road usage and sealed

for prolonged durability. 706202044 • Upper 706202045 · Lower




# **WHAT MAKES CAN-AM BELTS STAND OUT?**

#### One essential material stands among our drive belt components: PBO Fiber.

PBO Fiber is the next generation super fiber with excellent thermal stability, great abrasion resistance, and moreover, almost twice the strength and modulus of Aramid fiber.

- > We partner with the best manufacturers in the powersports industry to offer you unique drive belts with consistent quality.
- > The 100% cutting-edge PBO high-tensile strength polymer fiber construction offers high-temperature robustness and prolonged durability.

#### **CAN-AM BELT CONSTRUCTION VS. COMPETITORS**



Brand A Brand A C12

Brand B

BRP

#### (Not illustrated)

WHEEL BEARINGS

**CVT GASKET COVER** 

G2 (Outlander & Renegade)

(Not illustrated)

420430126

· Sealed bearings for additional protection from water and dirt. 293350118

#### **A-ARM BUSHING KIT**

 All you need to renew you suspension A-Arms. This bushing kit includes 2 bushings, a sleeve and a wearplate as illustrated. 703500875







**CV BOOT KITS** 

**Front Wheel Side** 

715900298 • X mr

<u>Rear</u>

705501864

**Front Differential Side** 715900299 • X mr

Genuine BRP CV Boot Kits ensure

absolute compatibility and a perfect fit.

705401345 • All models (except X mr)

705401346 • All models (except X mr)

Note: Please contact your dealer or visit our online store at can-amoffroad.com for suggested retail prices regarding Genuine Can-Am Parts. Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

#### G1 (Outlander geometry for your Can-Am vehicle & Outlander MAX 400) 420630290 Front Left 705401429 • Engine 570 EFI 705401115 • All models (except X mr. Engine 570) Front Right 705401428 • Engine 570 EFI · Come with clamps and grease.

GENUINE CAN-AM REPLACEMENT PARTS<sup>83</sup>

## **CHOOSING THE RIGHT DRIVE BELT CAN IMPACT POWER & PERFORMANCE**

> Our engineering teams have perfectly integrated and tested each drive belt to provide quick throttle response, powerful acceleration, top speed and consistent shifting performance.

> We aim at delivering the highest levels of performance and longevity based on your vehicle's specific end-use and calibration.

**"I HAVE TESTED ALL BELTS OUT THERE, AND CAN-AM'S DRIVE BELTS ARE THOSE I'M RELYING ON TO WIN RACES."**  NO LIMIT

BURTO!

#### PHIL BLURTON

2017 & 2018 UTV WORLD CHAMPIONSHIP WINNER 2017 BITD UTV PRO PRODUCTION TURBO CHAMPION





Rotax ACE triple-cylinder engine

## WHY XPS OIL IS THE PERFECT FIT **FOR YOUR ROTAX ENGINE?**

Whether you purchased it as a necessity for transportation, or the pure exhilaration of performance, your Can-Am is an investment get the most out it. XPS lubricants are the only lubricants specifically engineered to do that with your Rotax-powered Can-Am vehicles.

XPS oil meets the demands of highperformance off-road engines, including turbo and supercharged engines. XPS oil is formulated specifically for the higher stress these engines experience.

35W-40

SYNTHETIC BLEND

PHIL BLURTON 2017 BITD UTV PRO PRODUCTION **TURBO CHAMPION** 

**KYLE CHANEY** 

2017 TORC PRO MOD UTV CHAMPION

**XPS OIL HAS UNDERGONE RIGOROUS TESTING IN WORST CASE SCENARIOS TO PROVE ITSELF** AND WILL BE USED BY MANY CAN-AM OFF-ROAD RACERS THIS YEAR.

11:115





## **UNMATCHED RELIABILITY**

Get the most out of every mile on every ride.

Rotax V-twin engine

## **ULTIMATE PERFORMANCE**

Engineered to match the advanced performance of Rotax Engines.

## **MADE FOR THIS**

Developed with Rotax engines to deliver the best performance and lubrication in all conditions.



#### VISIT THE CAN-AMOFFROAD.COM PARTS & MAINTENANCE SECTION TO SEE THE FULL LINE OF XPS LUBRICANTS.

# \*\* XPS ENGINE OILS & MAINTENANCE PRODUCTS

WYL

Powersport

## **XPS IS A COMPLETE RA OF PERFORMANCE PRODU DESIGNED TO PROTECT YOUR VEHICLE AND** EXTEND ITS LIFETIME.

EACH HAS BEEN RIGOROUSLY DEVELOPED, TESTED AND APPROVED TAKE THE GUESSWORK OUT OF YOUR VEHICLE MAINTENANCE AND GET TRUE XPS PEACE OF MIND.

#### **XPS ENGINE OILS**

#### 4T 10W-50 SYNTHETIC OIL

· Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged and racing engines. · Formulated using carefully selected and strenuously tested base stocks and custom additives.

 Offers thick film strength to protect bearings, and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability, and combat fuel dilution to ensure maximum

performance from your engine.	
946 ml	3.785 L
779234 • US	779235·US
779240 • Europe	779241 • Europe

×× +50° C +122° F

#### **4T OW-40 SYNTHETIC OIL**

Filling States

Section.

• 4-stroke engines powering recreational vehicles through mud. snow and water withstand a lot of high RPM and high load abuse, and this full synthetic oil is carefully engineered to provide the best protection for high-performance ATVs and SSVs. · Its wide operating temperature range, additional corrosion protection, and engineered detergency make this oil the best choice for any powersport vehicle with a 4-stroke engine used in cold weather.

946 ml	3.785 L
779139•US	779140•US
779286 • Europe	779287 • Europe



#### Note: Please contact your dealer or visit our online store at can-amoffroad.com for suggested retail prices of XPS products. Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

#### **4T 5W-40 SYNTHETIC BLEND OIL**

779133 • US

779290 • Europe

 This synthetic blend is the oil of choice for owners of high-performance vehicles with a 4-stroke engine, including turbo or supercharged engines requiring carefully engineered friction. Combining the finest quality synthetic base stocks with extreme-tested synthetic additives, it provides superior engine and transmission protection against rust and corrosion compared to conventional engine oils, and optimum wet clutch operation for smooth and positive shifting with better cold start protection than 10W oils 946 ml

3.785 L 779134•US 779291 • Europe



## **XPS ENGINE OILS**

#### **XPS 4-STROKE EXTREME COLD GRADE**

 BRP's Rotax 4-stroke engines that operate in northern latitudes will benefit from premium oil formulated for easier

 In temperatures down to -76°F /-60°C. XPS 4-Stroke Extreme Cold Grade Synthetic Oil flows fast from the sump to protect erature.

946 ml	3.785 L
779145•US	779146 • US
779294 • Europe	779295 • Europe

& Smart-Lok differentials. Allows higher loads. superior shear stability and reduced oxidation.

LUBRICANTS

SYNTHETIC GEAR OIL

Uses custom additives

performance in Visco-Lok

to provide the best

 Exceptional wear protection and superior performance at all operating temperatures. 75W-140


779160•US 779212 • Europe 779215 • Europe



Note: Please contact your dealer or visit our online store at can-amoffroad.com for suggested retail prices of XPS products.

35₩-40

SYNTHETIC BLEND SEMI-SYNTHETIQUI



ino oompononto ui	cocure up.
to maintain visco	sity at operating tempe
	3.785 L
	779146 • US
rope	779295 • Europe





#### OILS & MAINTENANCE 87



#### SYNTHETIC GREASE **SUSPENSION**

- Designed to work specifically with the components found in Can-Am vehicle suspensions.
- It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions.
- 400 g





#### ANTI-CORROSIVE LUBRICANT

- Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
- It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed. • 340 g

779168 • US 779224 • Europe



#### **EXTENDED LIFE PRE-MIXED COOLANT**

- XPS Antifreeze/Coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems.
- · Long-life, 5-year formula specially formulated for BRP vehicles.
- Superior heat transfer
- · Ideal replacement for vehicles that normally use a 2-year antifreeze/ coolant (green), 5-year (orange). • 946 ml

779150



#### **(PS MAINTENANCE PRODUCTS)**

#### DOT4 BRAKE FLUID

 Meets or exceeds all DOT3 and DOT4 brake fluid requirements. High-temperature formula resists fade, and also conditions seals and o-rings in braking system. • 355 ml 779151 • US 779207 • Europe



#### **RACING BRAKE FLUID**

• Exceeds DOT4 brake fluid requirements for extreme conditions and competition use. · Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade • 355 ml 779152•US 779209 • Europe



#### **ENGINE OIL CHANGE KIT**

• Ultra-convenient "all-in-one" oil change kit saves time and money. • Includes XPS Synthetic or Synthetic Blend Oil, oil filter,

o-rings and washer. 779256 • Synthetic Blend 779252 • Full Synthetic (5W-40 450 CC or less) (10W-50 500 CC or more) 779257 • Full Synthetic 779260 • Synthetic Blend (OW-40 450 CC or less) (5W-40 900 ACE) 779258 • Synthetic Blend 779261 • Full Synthetic (5W-40 500 CC or more) (10W-50 900 ACE) 779259 • Full Synthetic (OW-40 500 CC or more)



#### HIGH PERFORMANCE SUSPENSION FLUID

• A synthetic, fade-free formula for servicing FOX<sup>+</sup> shocks. Specially formulated for high-demand or racing application. • Ultra high VI shock oil. Engineered viscosity for optimized performance with FOX<sup>†</sup> shocks valving. • 946 ml 779153•US 779210 • Europe





#### **CARBON FREE FUEL TREATMENT**

 Combination of a fuel treatment and a fuel system cleaner that can be used periodically to restore lost starting or throttle performance, as well as maintain fuel system integrity and keep internal engine parts clean. · It treats fuel for storage and addresses the moisture problems inherent in today's Ethanol-blended fuels, keeping ferrous and soft metal parts clean and free of corrosion. · Uses patented, state-of-the-art additives. · Cleans valves, sticky rings and combustion chamber. • 355 ml 779169•US 779220 • Europe



#### FUEL TREATMENT CARBURETOR CLEANER


· Complete fuel treatment specially formulated to prevent small engine problems caused by Ethanol-blended fuels. • It removes fuel system gum and varnish that may have accumulated during storage, stabilizes fuel against breakdown for 12 months or more, and adds corrosion protection from moisture for short- and long-term storage. · It also helps restore throttle response and easy starting. · It can be used periodically to maintain fuel system integrity, keep carburetor jets clean, and also combat moisture problems caused by Ethanol-blended fuels to keep ferrous and soft metal parts clean and free of corrosion. • 355 ml 779172 · US 779184 • Europe



FUEL STABILIZER

• Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality. • Ethanol attracts moisture, and this product contains powerful anti-corrosion additives to protect fuel system components. • Prevents problems associated with E10 fuels. • 236 ml 779171 • US 779183 • Europe





#### **SPRAY CLEANER** & POLISH

• Removes dirt, grease, road grime and water marks easily and quickly. • Non petroleum based formula will not harm plastic finishes. • 340 g 219702844

**XPS CLEANERS** 



#### **BRAKES & PARTS CLEANER** · A concentrated blend of solvents with a powerful

blasting spray that effectively removes grease, grime, brake fluid and other contaminants from brake components and metal parts without the need for disassembly. · Evaporates instantly and completely, leaving no residue to hinder performance. · Contains no ozone depleters. • 397 g

219701776



#### **OFF-ROAD VEHICLE WASH**


• A biodegradable non-toxic cleaner that removes mud and dried-on dirt from your off-road vehicle. • Whether grimy from the track, the woods or the fields, this cleaner will leave your off-road vehicle sparkling. · When used as directed, XPS Wash is safe for all off-road vehicle finishes. •946 ml 219701702

#### MICROFIBER TOWELS

• The latest in high-quality detailing towels. Made up of extremely fine fibers, their soft surfaces have been perfected for drying and polishing painted, gel coated and hard shiny surfaces. • They are so absorbent they hold up to seven times their weight in water · Machine washable means they can be used over and over again. Pack of 2. 219701759













### **SKI-DOO LYNX SEG-200** EVINBUDE ROTAX Can-am



Note: Please contact your dealer or visit our online store at can-amoffroad.com for suggested retail prices of XPS products. Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.





